ISO/IEC 15444-9:2005-12 (E)

Information technology - JPEG 2000 image coding system: Interactivity tools, APIs and protocols

Contents

Page

Reference number INTERNATIONAL STANDARD 15444-9 First edition 2005-12-01 Information technology -- JPEG 2000 image coding system: Interactivity tools, APIs and protocols Technologies de l'information -- Système de codage d'image JPEG 2000: Outils d'interactivité, API et protocoles PDF disclaimer This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area. Adobe is a trademark of Adobe Systems Incorporated. Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below. electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester. ISO copyright office Case postale 56 · CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland CONTENTS 1 Scope 1

2 Normative references 1

3 Definitions 2
3.1 JPEG 2000 Part 1 definitions 2
3.2 HTTP definitions 2
3.3 JPIP definitions 2
3.4 Symbols 3

4 Abbreviations 5

5 Conventions 5
5.1 ABNF rules 5
5.2 File format ABNF rules 6
5.3 Key to graphical descriptions of boxes (informative) 6

6 General description 7
6.1 JPIP protocol 7
6.2 Purpose 8

7 Conformance 9

Annex A (normative) - The JPP-stream and JPT-stream media types 10

A.1 Introduction 10
A.2 Message header structure 11
A.3 Data-bins 13
A.4 Conventions for parsing and delivery of JPP-streams and JPT-streams (informative) 21
A.5 Conventions for JPP-stream or JPT-stream Interoperability (informative) 21

Annex B (normative) - Sessions, channels, cache model and model-sets 22

B.1 Requests within a session vs stateless requests 22
B.2 Channels and sessions 22
B.3 Cache model management 23
B.4 Interrogation and manipulation of model-sets 23

Annex C (normative) - Client request 24

C.1 Request syntax 24
C.2 Target identification fields 25
C.3 Fields for working with sessions and channels 27
C.4 View-window request fields 28
C.5 Metadata request fields 36
C.6 Data limiting request fields 39
C.7 Server control request fields 39
C.8 Cache management request fields 41
C.9 Upload request parameters 47
C.10 Client capability and preference request fields 47

Annex D (normative) - Server response signalling 53

D.1 Reply syntax 53
D.2 JPIP response headers 54
D.3 Response data 59

Annex E (normative) - Uploading images to the server 60

E.1 Introduction 60
E.2 Upload request 60
E.3 Server response 60
E.4 Merging data on the server 61

Annex F (normative) - Using JPIP over HTTP 63

F.1 Introduction 63
F.2 Requests 63
F.3 Session establishment 64
F.4 Responses 64
F.5 Additional HTTP features 65
F.6 HTTP and length request field (informative) 66

Annex G (normative) - Using JPIP with HTTP requests and TCP returns 67

G.1 Introduction 67
G.2 Client requests 67
G.3 Session establishment 67
G.4 Server responses 68
G.5 TCP and length request field (informative) 68

Annex H (informative) - Using JPIP with alternate transports 69

H.1 Introduction 69
H.2 Reliable requests with unreliable data 69
H.3 Unreliable requests with unreliable data 70
H.4 Request and response syntax 71
H.5 Session establishment 71

Annex I (normative) - Indexing JPEG 2000 files for JPIP 72

I.1 Introduction (informative) 72
I.2 Identifying the use of JPIP index boxes in the JPEG 2000 file format compatibility list 73
I.3 Defined boxes 73
I.4 Association of codestream indexes with codestreams 81

I.5 Placement restrictions (informative) 81

Annex J (normative) - Registration of extensions to this Recommendation International Standard| 82

J.1 Introduction to registration 82
J.2 Registration elements 82
J.3 Registration evaluation criteria 82
J.4 Items which can be extended by registration 82
J.5 Registration process 83
J.6 Timeframes for the registration process 83

Annex K (informative) - Application examples 84

K.1 Introduction 84
K.2 Use of JPIP with codestreams in other file formats 84
K.3 Tile-part implementation techniques 84
K.4 Precinct-based implementation techniques 85
K.5 JPIP protocol transcripts 86
K.6 Using JPIP with HTML 89

Annex L (informative) - JPIP ABNF collection 91

L.1 JPIP Request ABNF 91
L.2 JPIP Response BNF 98

Annex M (informative) - Patent statements 101

Annex N (informative) - Bibliography 102

FIGURES Figure 1 - Example of the box description figures 7

Figure 2 - Example of the superbox description figures 7

Figure 3 - JPIP protocol overview 8

Figure 4 - JPIP protocol stack 8

Figure A.1 - Examples of a JPEG 2000 file, JPIP data-bins and JPIP-stream relationships (after G.J. Colyer and R.A. Clark, IEEE Trans. Consumer Electronics, 49 (2003), pp 850-854) 10

Figure A.2 - VBAS structure 11

Figure A.3 - Bin-ID VBAS structure 11

Figure A.4 - Example precinct data-bin 14

Figure A.5 - Metadata-bin example colour scheme 15

Figure A.6 - A sample JP2 file 16

Figure A.7 - A sample JP2 file divided into three metadata-bins 16

Figure A.8 - A superbox with a referenced metadata-bin 17

Figure A.9 - An illegal division of the file into metadata-bins 18

Figure A.10 - Example of the use of stream equivalents 19

Figure A.11 - Placeholder box structure 19

Figure C.1 - Desired region within an image 29

Figure C.2 - Desired region with respect to the subsampled reference grid 29

Figure C.3 - Colourspace specification box selection procedure 50

Figure G.1 - Response data structure on http-tcp connection 68

Figure I.1 - Part of an example JPEG 2000 file containing JPIP index boxes 73

Figure I.2 - Organization of the contents of a Codestream Index box 74

Figure I.3 - Organization of the contents of a Codestream Finder box 75

Figure I.4 - Organization of the contents of a Manifest box 75

Figure I.5 - Organization of the contents of a Fragment Array Index box 76

Figure I.6 - Organization of the contents of a Header Index Table box 77

Figure I.7 - Organization of the contents of a Tile-part Index Table box 78

Figure I.8 - Organization of the contents of a Tile Header Index Table box 78

Figure I.9 - Organization of the contents of a Precinct Packet Index Table box 78

Figure I.10 - Organization of the contents of a Packet Header Index Table box 79

Figure I.11 - Organization of the contents of a File Index box 80

Figure I.12 - Organization of the contents of a File Finder box 80

Figure I.13 - Organization of the contents of a Proxy box 80

Figure I.14 - Organization of the contents of an Index Finder box 81

TABLES Table A.1 - Bin-ID additional VBAS indication 12

Table A.2 - Class identifiers for different data-bin message classes 12

Table A.3 - Legal values for the Flags field of a Placeholder box 20

Table C.1 - Round direction options 31

Table C.2 - Metadata request qualifier flags 39

Table C.3 - Alignment boundaries based on bin type 40

Table C.4 - Legal image return types 40

Table C.5 - Cache descriptor option summary 44

Table C.6 - Legal capabilities of the processing-capabilities element 47

Table C.7 - Legal values of the config-capability parameter 48

Table C.8 - View-window handling preferences 49

Table C.9 - Colourspace method client preferences 50

Table C.10 - Placeholder preferences 51

Table C.11 - Codestream sequencing preferences 52

Table D.1 - Legal values of transport-param 55

Table D.2 - Defined reason codes 59

Table I.1 - Defined boxes (Informative) 74

Table I.2 - Container type values 75

Table I.3 - Version values 77

Table K.1 - Example of the use of auxiliary fields in a simple case 85

Table K.2 - Example of the use of auxiliary fields in a more complicated case 85