ISO/IEC 16022:2006-09 (E)

Information technology - Automatic identification and data capture techniques - Data Matrix bar code symbology specification

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms, and mathematical/logical notations 2
3.1 Terms and definitions 2
3.2 Symbols and abbreviations 2
3.3 Mathematical/logical notations 3

4 Symbol description 3
4.1 Basic characteristics 3
4.2 Summary of additional features 4
4.3 Symbol structure 4
4.3.1 Finder pattern 5
4.3.2 Symbol sizes and capacities 5

5 ECC 200 requirements 5
5.1 Encode procedure overview 5
5.2 Data encodation 6
5.2.1 Overview 6
5.2.2 Default character interpretation 6
5.2.3 ASCII encodation 7
5.2.4 Symbology control characters 7
5.2.5 C40 encodation 9
5.2.6 Text encodation 11
5.2.7 ANSI X12 encodation 11
5.2.8 EDIFACT encodation 12
5.2.9 Base 256 encodation 12
5.3 User considerations 13
5.3.1 User selection of Extended Channel Interpretation 13
5.3.2 User selection of symbol size and shape 13
5.4 Extended Channel Interpretation 13
5.4.1 Encoding ECIs 14
5.4.2 ECIs and Structured Append 15
5.4.3 Post-decode protocol 15
5.5 ECC 200 symbol attributes 15
5.5.1 Symbol sizes and capacity 15
5.5.2 Insertion of Alignment Patterns into larger symbols 17
5.6 Structured Append 17
5.6.1 Basic principles 17
5.6.2 Symbol sequence indicator 17
5.6.3 File identification 18
5.6.4 FNC1 and Structured Append 18
5.6.5 Buffered and unbuffered operation 18
5.7 Error detection and correction 18
5.7.1 Reed-Solomon error correction 18
5.7.2 Generating the error correction codewords 18

5.7.3 Error correction capacity 19
5.8 Symbol construction 20
5.8.1 Symbol character placement 20
5.8.2 Alignment Pattern module placement 20
5.8.3 Finder Pattern module placement 20

6 ECC 000 - 140 requirements 21
6.1 Use recommendations 21
6.2 Encode procedure overview 21
6.3 Data encodation 21
6.3.1 Base 11 - Numeric encodation 23
6.3.2 Base 27 - Upper-case Alphabetic encodation 23
6.3.3 Base 37 - Upper-case Alphanumeric encodation 23
6.3.4 Base 41 - Upper-case Alphanumeric plus Punctuation encodation 24
6.3.5 ASCII encodation 24
6.3.6 8-bit byte encodation 24
6.4 User selection of error correction level 24
6.4.1 Selection of error correction level 24
6.4.2 Other error correction levels based on convolutional code algorithms 25
6.5 Constructing the Unprotected Bit Stream 25
6.5.1 Format ID Bit Field 25
6.5.2 CRC Bit Field 25
6.5.3 Data Length Bit Field 25
6.5.4 Data prefix construction 25
6.5.5 Completing the Unprotected Bit Stream 26
6.6 Constructing the Unrandomised Bit Stream 26
6.6.1 Header construction 26
6.6.2 Applying convolutional coding to create the Protected Bit Stream 26
6.6.3 Trailer construction 27
6.6.4 Completing the Unrandomised Bit Stream 27
6.7 Pattern randomising 27
6.8 Module placement in matrix 27

7 Symbol dimensions 27
7.1 Dimensions 27
7.2 Quiet zone 27

8 Symbol quality 27
8.1 Symbol quality parameters 28
8.1.1 Fixed pattern damage 28
8.1.2 Scan grade and overall symbol grade 28
8.1.3 Grid non-uniformity 28
8.2 Process control measurements 28

9 Reference decode algorithm for Data Matrix 28

10 User guidelines 38
10.1 Human readable interpretation 38
10.2 Autodiscrimination capability 38
10.3 System considerations 38

11 Transmitted data 38
11.1 Protocol for FNC1 (ECC 200 only) 38
11.2 Protocol for FNC1 in the second position (ECC 200 only) 38
11.3 Protocol for Macro characters in the first position (ECC 200 only) 38
11.4 Protocol for ECIs (ECC 200 only) 39
11.5 Symbology identifier 39
11.6 Transmitted data example 39

Annex A (normative) ECC 200 interleaving process 40

A.1 Schematic illustration 40

A.2 Starting sequence for interleaving in different sized symbols 40

Annex B (normative) ECC 200 pattern randomising 43

B.1 253-state algorithm 43
B.1.1 253-state randomising algorithm 43
B.1.2 253-state un-randomising algorithm 43
B.2 255-state algorithm 44
B.2.1 255-state randomising algorithm 44
B.2.2 255-state un-randomising algorithm 44

Annex C (normative) ECC 200 encodation character sets 45

C.1 C40 encodation character set 45
C.2 Text encodation character set 46
C.3 EDIFACT encodation character set 47

Annex D (normative) ECC 200 alignment patterns 48

Annex E (normative) ECC 200 Reed-Solomon error detection and correction 50

E.1 Error correction codeword generator polynomials 50
E.2 Error correction calculation 52
E.3 Calculation of error correction codewords 53

Annex F (normative) ECC 200 symbol character placement 55

F.1 Symbol character placement 55
F.2 Symbol character placement rules 57
F.2.1 Non-standard symbol character shapes 57
F.2.2 Symbol character arrangement 60
F.3 Symbol character placement examples for ECC 200 63

Annex G (normative) ECC 000 - 140 symbol attributes 68

G.1 ECC 000 68
G.2 ECC 050 69
G.3 ECC 080 70
G.4 ECC 100 71
G.5 ECC 140 72

Annex H (normative) ECC 000 - 140 data module placement grids 73

Annex I (normative) ECC 000 - 140 character encodation schemes 90

I.1 Base 11 encodation scheme 94
I.1.1 First stage procedure 94
I.1.2 Second stage procedure 94
I.1.3 Example 94
I.2 Base 27 encodation scheme 95
I.2.1 First stage procedure 95
I.2.2 Second stage procedure 95
I.2.3 Example 95
I.3 Base 37 encodation scheme 96
I.3.1 First stage procedure 96
I.3.2 Second stage procedure 96
I.3.3 Example 96
I.4 Base 41 encodation scheme 97
I.4.1 First stage procedure 97
I.4.2 Second stage procedure 97
I.4.3 Example 97

Annex J (normative) ECC 000 - 140 CRC algorithm 98

J.1 CRC state machine 98
J.2 CRC polynomial 98
J.3 CRC 2-byte header 98

Annex K (normative) ECC 000 - 140 error checking and correcting algorithms 100

K.1 ECC 000 100
K.2 ECC 050 100
K.3 ECC 080 100
K.4 ECC 100 100
K.5 ECC 140 100
K.6 Processing the convolutional code 100
K.7 Convolutional codes reference decode algorithm 101

Annex L (normative) ECC 000 - 140 Master Random Bit Stream (in hexadecimal) 104

Annex M (normative) Data Matrix print quality - symbology-specific aspects 105

M.1 Data Matrix Fixed Pattern Damage 105
M.1.1 Features to be assessed 105
M.1.2 Grading of the outside L of the fixed pattern 105
M.1.3 Grading of the clock track and adjacent solid area segments 107
M.1.4 Calculation and grading of average grade 111
M.2 Scan grade 112

Annex N (normative) Symbology identifier 113

Annex O (informative) ECC 200 encode example 114

Annex P (informative) Encoding data using the minimum symbol data characters for ECC 200 116

Annex Q (informative) ECC 000 - 140 encode example using ECC 050 120

Q.1 Encode example 120
Q.2 CRC calculation for example 125

Annex R (informative) Useful process control techniques 128

R.1 Symbol contrast 128
R.2 Special reference symbol 128
R.3 Assessing Axial Nonuniformity 129
R.4 Visual inspection for symbol distortion and defects 129

Annex S (informative) Autodiscrimination capability 130

Annex T (informative) System considerations 131

Bibliography 132