

ISO/IEC 7816-3:2006-11 (E)

Identification cards - Integrated circuit cards - Part 3: Cards with contacts - Electrical interface and transmission protocols

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	3
5	Electrical characteristics	5
5.1	General	5
5.2	Contacts	6
6	Card operating procedure	9
6.1	Principles	9
6.2	Activation, resets and class selection	9
6.3	Information exchange	11
6.4	Deactivation	12
7	Asynchronous character	13
7.1	Elementary time unit	13
7.2	Character frame	13
7.3	Error signal and character repetition	14
8	Answer to reset	15
8.1	Characters and coding conventions	15
8.2	Answer-to-Reset	16
8.3	Global interface bytes	18
9	Protocol and parameters selection	20
9.1	PPS exchange	20
9.2	PPS request and response	20
9.3	Successful PPS exchange	21
10	Protocol T=0, half-duplex transmission of characters	22
10.1	Scope	22
10.2	Character level	22
10.3	Structure and processing of commands	22
11	Protocol T=1, half-duplex transmission of blocks	24
11.1	Scope and principles	24
11.2	Character frame	24
11.3	Block frame	24
11.4	Protocol parameters	27
11.5	Character component operation at data link layer	28
11.6	Block component operation at data link layer	28
12	Transmission of command-response pairs	32

12.1	Application protocol data units	32
12.2	Command-response pair transmission by T=0	34
12.3	Command-response pair transmission by T=1	40
Annex A (informative) Scenarios for T=1		42
Bibliography		50