Information technology - Generic applications of ASN.1: Fast infoset

CONTENTS

Page

1 Scope 1
2 Normative references 1
2.1 Identical Recommendations | International Standards 2
2.2 Additional references 2
3 Definitions 3
3.1 ASN.1 terms 3
3.2 ECN terms 3
3.3 ISO/IEC 10646 terms 3
3.4 Additional definitions 3
4 Abbreviations 4
5 Notation 4
6 Principles of vocabulary table construction and use 5
7 ASN.1 type definitions 6
7.1 General 6
7.2 The `Document` type 6
7.3 The `Element` type 11
7.4 The `Attribute` type 12
7.5 The `ProcessingInstruction` type 12
7.6 The `UnexpandedEntityReference` type 13
7.7 The `CharacterChunk` type 13
7.8 The `Comment` type 14
7.9 The `DocumentTypeDeclaration` type 14
7.10 The `UnparsedEntity` type 15
7.11 The `Notation` type 15
7.12 The `NamespaceAttribute` type 16
7.13 The `IdentifyingStringOrIndex` type 16
7.14 The `NonIdentifyingStringOrIndex` type 17
7.15 The `NameSurrogate` type 18
7.16 The `QualifiedNameOrIndex` type 19
7.17 The `EncodedCharacterString` type 20
8 Construction and processing of a fast infoset document 21
8.1 Conceptual ordering of components of an abstract value of the `Document` type 22
8.2 The restricted alphabet table 22
8.3 The encoding algorithm table 22
8.4 The dynamic string tables 23
8.5 The dynamic name tables and name surrogates 23
9 Built-in restricted alphabets 24
9.1 The "numeric" restricted alphabet 24
9.2 The "date and time" restricted alphabet 24
10 Built-in encoding algorithms 24
10.1 General 24
10.2 The "hexadecimal" encoding algorithm 25
10.3 The "base64" encoding algorithm 25
10.4 The "short" encoding algorithm 25
10.5 The "int" encoding algorithm 26
10.6 The "long" encoding algorithm 26
10.7 The "boolean" encoding algorithm 26
10.8 The "float" encoding algorithm 27
10.9 The "double" encoding algorithm 27
10.10 The "uuid" encoding algorithm 27

Page

10.11 The "cdata" encoding algorithm 28
11 Restrictions on the supported XML infosets and other simplifications 28
12 Bit-level encoding of the `Document` type 29
Annex A – ASN.1 module and ECN modules for fast infoset documents 31
A.1 ASN.1 module definition 31
A.2 ECN module definitions 33
Annex B – The MIME media type for fast infoset documents 53
Annex C – Description of the encoding of a fast infoset document 55
C.1 Fast infoset document 55
C.2 Encoding of the `Document` type 55
C.3 Encoding of the `Element` type 57
C.4 Encoding of the `Attribute` type 58
C.5 Encoding of the `ProcessingInstruction` type 58
C.6 Encoding of the `UnexpandedEntityReference` type 59
C.7 Encoding of the `CharacterChunk` type 59
C.8 Encoding of the `Comment` type 59
C.9 Encoding of the `DocumentTypeDeclaration` type 59
C.10 Encoding of the `UnparsedEntity` type 60
C.11 Encoding of the `Notation` type 60
C.12 Encoding of the `NamespaceAttribute` type 61
C.13 Encoding of the `IdentifyingStringOrIndex` type 61
C.14 Encoding of the `NonIdentifyingStringOrIndex` type starting on the first bit of an octet 61
C.15 Encoding of the `NonIdentifyingStringOrIndex` type starting on the third bit of an octet 62
C.16 Encoding of the `NameSurrogate` type 62
C.17 Encoding of the `QualifiedNameOrIndex` type starting on the second bit of an octet 62
C.18 Encoding of the `QualifiedNameOrIndex` type starting on the third bit of an octet 63
C.19 Encoding of the `EncodedCharacterString` type starting on the third bit of an octet 63
C.20 Encoding of the `EncodedCharacterString` type starting on the fifth bit of an octet 64
C.21 Encoding of the length of a sequence-of type 64
C.22 Encoding of the `NonEmptyOctetString` type starting on the second bit of an octet 64
C.23 Encoding of the `NonEmptyOctetString` starting on the fifth bit of an octet 65
C.24 Encoding of the `NonEmptyOctetString` type starting on the seventh bit of an octet 65
C.25 Encoding of integers in the range 1 to 2^{20} starting on the second bit of an octet 65
C.26 Encoding of integers in the range 0 to 2^{20} starting on the second bit of an octet 66
C.27 Encoding of integers in the range 1 to 2^{20} starting on the third bit of an octet 66
C.28 Encoding of integers in the range 1 to 2^{20} starting on the fourth bit of an octet 66
C.29 Encoding of integers in the range 1 to 256 67
Annex D – Examples of encoding XML infosets as fast infoset documents 68
D.1 Introduction of examples 68
D.2 Size of example documents (including redundancy-based compression) 68
D.3 UBL order example 69
D.4 UBL Order fast infoset document with an external vocabulary 71
D.5 UBL order fast infoset document without an initial vocabulary 79
Annex E – Assignment of object identifier values 90
BIBLIOGRAPHY 91