

# ISO/TS 28560-4:2023-07 (E)

## Information and documentation - RFID in libraries - Part 4: Encoding of data elements based on rules from ISO/IEC 15962 in an RFID tag with partitioned memory

Contents		Page
Foreword	.....	v
Introduction	.....	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Applicability and relationship with other systems	4
4.1	General	4
4.2	Independent standards-based components	4
4.3	Integrated encoding/decoding software	6
4.4	Legacy-based architecture	6
5	Requirements	7
5.1	Data elements	7
5.2	RFID air interface: ISO/IEC 18000-63 for UHF	7
5.2.1	General	7
5.2.2	Air interface conformance	8
5.2.3	Tag performance	8
5.2.4	Interrogator performance	8
5.2.5	System performance	8
5.3	RFID air interface: Other air interface protocols	8
5.4	Data protocol	8
5.5	RFID interrogators (RFID readers)	9
6	Data elements	9
6.1	General	9
6.2	Unique item identifier (UII)	11
6.2.1	UII comprising of only the primary item identifier	11
6.2.2	UII comprising owner institution + primary item identifier	12
6.2.3	Encoding set information	12
6.2.4	Unambiguous UII structure	13
6.3	Primary item identifier	13
6.4	Content parameter	13
6.5	Owner institution (ISIL)	14
6.6	Set information	14
6.7	Type of usage	15
6.8	Shelf location	15
6.9	ONIX media format	15
6.10	MARC media format	15
6.11	Supplier identifier	15
6.12	Order number	15
6.13	ILL borrowing institute	15
6.14	ILL transaction number	16
6.15	GS1 product identifier	16
6.16	Alternative unique item identifier	16
6.17	Local data	16
6.18	Title	17

6.19	Product identifier (local) .....	17
6.20	Media format (other) .....	17
6.21	Supply chain stage .....	17
6.22	Supplier invoice number .....	18
6.23	Alternative item number .....	18
6.24	Alternative owner institution .....	18
6.25	Subsidiary of an owner library .....	18
6.26	Alternative ILL borrowing institution .....	18
6.27	Other reserved data elements .....	18
7	Data encoding .....	19
7.1	Data protocol overview .....	19
7.1.1	General .....	19
7.1.2	Data constructs .....	19
7.1.3	AFI .....	19
7.1.4	Data format .....	19
7.1.5	Object identifier for library applications .....	20
7.1.6	Object identifier for the Ull and its interpretation .....	20
7.1.7	DSFID .....	20
7.2	ISO/IEC 15961-1 commands and responses .....	20
7.3	ISO/IEC 15962 encoding rules for this document .....	21
7.3.1	General .....	21
7.3.2	Structure of MB 00 .....	23
7.3.3	Encoding and use of MB 00 .....	23
7.3.4	Structure of MB 01 .....	23
7.3.5	Encoding in MB 01 .....	24
7.3.6	Relative-OID for the Ull .....	26
7.3.7	Decoding and processing the Monomorphic-Ull .....	26
7.3.8	Use of GS1 EPC codes in MB 01 .....	26
7.3.9	Structure and use of MB 10 .....	27
7.3.10	Structure of MB 11 .....	27
7.3.11	Encoding in MB 11 .....	28
8	RFID tag requirements .....	32
8.1	Air interface protocol .....	32
8.1.1	General .....	32
8.1.2	Memory parameters .....	32
8.1.3	Declaring memory parameters .....	32
8.2	Required air interface commands .....	33
8.3	Air interface conformance .....	34
8.4	Performance .....	34
9	Data integrity, security, and privacy issues .....	34
9.1	Data integrity .....	34
9.2	Item security .....	34
9.2.1	General .....	34
9.2.2	Use of the Ull .....	35
9.2.3	Using passwords in MB 00 .....	35
9.2.4	Use of the unique tag ID .....	37
9.2.5	Use of the AFI .....	37
9.2.6	Use of the EAS features .....	38
9.3	Privacy issues .....	38
10	Implementation and migration .....	38
11	Miscellaneous .....	38
Annex A (informative) Information about ISO 28560 RFID in libraries .....		39
Annex B (informative) Relevant ISO/IEC 15961-1 application commands .....		40

<b>Annex C (informative) Locking procedure for MB 01 with encoding in MB 11 .....</b>	<b>43</b>
<b>Annex D (informative) Monomorphic-UJI and URN Code 40 encoding .....</b>	<b>44</b>
<b>Annex E (informative) Encoding examples .....</b>	<b>48</b>
<b>Annex F (informative) Implementation and migration .....</b>	<b>52</b>
<b>Bibliography .....</b>	<b>54</b>