

E DIN EN 16602-70-26:2018-01 (E)

Erscheinungsdatum: 2017-12-08

**Space product assurance - Crimping of high-reliability electrical connections;
English version prEN 16602-70-26:2017**

Table of contents

European Foreword.....	5
1 Scope.....	6
2 Normative references.....	8
3 Terms, definitions and abbreviated terms.....	10
3.1 Terms defined in other standards	10
3.2 Terms specific to the present standard	10
3.3 Abbreviated terms.....	11
3.4 Nomenclature	12
4 Principles	13
5 Requirements.....	14
5.1 Preparatory conditions	14
5.1.1 Facilities.....	14
5.1.2 Tools and equipment.....	15
5.2 Crimping operations for different types of interconnections.....	17
5.2.1 General	17
5.2.2 Material selection	18
5.2.3 Process review and documentation.....	19
5.2.4 Contact barrel and single wire crimping.....	19
5.2.5 Contact barrel and multiple wire crimping.....	20
5.2.6 Ferrule shield crimping	22
5.2.7 Lug and splice wire crimping	22
5.3 Requirements for crimp configuration qualification.....	25
5.3.1 General	25
5.3.2 Qualification process test procedure	26
5.3.3 Sealing and marking	28
5.3.4 Batch to batch variation.....	28
5.4 Test methods.....	28
5.4.1 General	28
5.4.2 <>deleted>>.....	28

5.4.3	Tensile strength	29
5.4.4	Metallography	30
5.5	Quality assurance.....	31
5.5.1	General	31
5.5.2	Personnel training and certification	31
5.5.3	Workmanship.....	34
5.5.4	Visual inspection	36
5.5.5	Shift performance inspection and test for harness manufacturing	38
5.5.6	Calibration of crimping tools	39
5.5.7	Records	40
5.5.8	Nonconformance.....	41
5.5.9	Special crimping activities at spacecraft level, modifications and repairs.....	41
5.6	Document requirements.....	44
Annex A (informative)	Crimp configurations and tools	45
Annex B (informative)	Examples of typical ultimate axial strength	52
Bibliography.....		54

Figures

Figure 1-1: Example of interconnections described in this Standard.....	7
Figure 5-1: Example of crimping tools	16
Figure 5-2: Example of a typical connector barrel and single wire crimping	20
Figure 5-3: Example of a typical connector barrel and multi-wire crimping.....	21
Figure 5-4: Example of a typical ferrule shield crimping.....	22
Figure 5-5: Examples of typical lug and splice wire crimping (1 of 2).....	24
Figure 5-6: Examples of typical lug and splice wire crimping (2 of 2).....	25
Figure 5-7: Qualification process test procedure flow chart	27
Figure 5-8: Quality control during crimping operation	33
Figure 5-9: Visible workmanship standards	35
Figure 5-10: Workmanship examples and crimp micro-sections	36
Figure 5-11: Shift performance test flowchart	43

Tables

Table A-1 : Guideline for selector setting - Four-indent crimp (dispersive) - Single wire.....	47
Table A-2 : Guideline for selector setting - Four-indent crimp (dispersive) - Two wires	48

Table A-3 : Guideline for selector setting – Four-indent crimp (dispersive) – Two different wires.....	49
Table A-4 : Guideline for selector setting – Four-indent crimp (dispersive) – Single wire	49
Table A-5 : Guideline for selector setting – Four-indent crimp (dispersive) – Two identical wires	49
Table A-6 : Guideline for die selection – Regular hexagon (compactive) – Ferrule coaxial shield crimp.....	50
Table B-1 : Typical ultimate axial strength for compactive and dispersive crimped joints manufactured using qualified ESCC wires.....	52