

DIN EN 4709-001:2019-03 (E)

Erscheinungsdatum: 2019-02-15

Aerospace series - Unmanned Aircraft Systems - Product requirements and verification for the Open category; English version prEN 4709-001:2019

Contents

Page

European foreword	6
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Product Requirements and Compliance for Class 0 UAS	11
4.1 MTOM	11
4.2 Manufacturer's Instructions on Safe Flight	12
4.2.1 General	12
4.2.2 User and maintenance manuals (include instructions and warnings)	12
4.2.3 Aviation regulation awareness leaflet	12
4.3 Follow-Me Mode	12
4.3.1 General	12
4.3.2 Distance measurements	13
4.3.3 Regaining control	13
4.4 UA Label	13
4.5 Product requirements	13
4.5.1 General	13
4.5.2 Safe controllability of the UA	14
4.5.3 Maximum speed	14
4.5.4 Maximum range	14
4.5.5 Sharp Edges	15
4.5.6 Propeller Injury	15
4.5.7 Electrical Properties	15
4.6 Operational Instructions and Limitations	17
5 Product Requirements and Compliance for Class 1 UAS	17
5.1 Fly Safely	17
5.1.1 General	17
5.1.2 Maximum Energy Transmitted and MTOM	18
5.1.3 Maximum Cruising Speed	18
5.2 Maximum Altitude	18
5.2.1 General	18
5.2.2 Performance Limited Height	18
5.2.3 Selectable Limited Height	19
5.3 Direct Remote Identification System	19
5.4 Geo-awareness	19
5.5 Manufacturer's Instructions on Safe Flight	20
5.5.1 General	20
5.5.2 Subclause title	20
5.6 Sharp Edges	20
5.7 Propeller Injury	21
5.8 Maximum Sound Power	21
5.8.1 General	21
5.8.2 Test method	21

5.9	Electrical Properties.....	21
5.9.1	General	21
5.9.2	Operating Voltage.....	21
5.9.3	Charging Circuit Limits	22
5.9.4	Fault Conditions Shock Protection	22
5.9.5	Fire Hazard Protection	22
5.9.6	EMC.....	23
5.10	Flammability and Explosion	23
5.11	Mechanical Strength	23
5.11.1	General	23
5.11.2	Steady Force.....	23
5.11.3	Drop	23
5.11.4	Impact	23
5.11.5	Thermoplastic Mold-Stress Relief	23
5.12	Touch temperature limits.....	24
5.13	Loss of Data Link	24
5.14	Test procedure for loss of datalink	24
5.15	Follow-Me Mode	24
5.15.1	General	24
5.15.2	Distance measurements	25
5.16	Battery Status.....	25
5.17	Lights, LEDs and Lasers	26
5.18	Operational Instructions and Limitations	26
5.19	Aviation Regulation Awareness Leaflet.....	26
5.20	UA Label	26
6	Product Requirements and Compliance for Class 2 UAS	27
6.1	Fly Safe & Maximum Take-Off Mass (MTOM).....	27
6.2	Maximum Altitude.....	27
6.2.1	General	27
6.2.2	Performance Limited Height	27
6.2.3	Selectable Limited Height	28
6.3	Geo-awareness.....	28
6.4	Direct Local Remote Identification.....	29
6.5	Manufacturer’s Instructions on Safe Flight	29
6.5.1	General	29
6.5.2	Rotor aircrafts.....	30
6.6	Sharp Edges.....	30
6.7	Propeller Injury.....	30
6.8	Battery Status.....	31
6.9	Maximum Sound Power.....	31
6.9.1	General	31
6.9.2	Test method	31
6.10	Electrical Properties.....	31
6.10.1	General	31
6.10.2	Operating Voltage.....	31
6.10.3	Charging Circuit Limits	32
6.10.4	Fault Conditions Shock Protection	32
6.10.5	Fire Hazard Protection	32
6.10.6	EMC.....	33
6.11	Flammability and Explosion	33
6.12	Mechanical Strength	33
6.12.1	General	33
6.12.2	Steady Force.....	33

6.12.3	Drop	34
6.12.4	Impact	34
6.12.5	Thermoplastic Mold-Stress Relief.....	34
6.13	Loss of Data Link	34
6.14	Lights, LEDs and Lasers.....	34
6.15	Operation Instructions and Limitations	34
6.16	Aviation Regulation Awareness Information Notice.....	35
6.17	UA Label.....	35
7	Product Requirements and Compliance for Class 3 UAS	35
7.1	Fly Safe & Maximum Take-Off Mass (MTOM).....	35
7.2	Maximum Altitude	35
7.2.1	General.....	35
7.2.2	Performance Limited Height.....	36
7.2.3	Selectable Limited Height	36
7.3	Geoawareness	36
7.4	Manufacturer’s Instructions on Safe Flight	36
7.5	Battery Status	37
7.6	Loss of Data Link	37
7.7	Electrical Properties	37
7.7.1	Operating Voltage	37
7.7.2	Charging Circuit Limits	38
7.7.3	Fault Conditions Shock Protection	38
7.7.4	Fire Hazard Protection.....	38
7.7.5	EMC.....	38
7.8	Flammability and Explosion	39
7.9	Mechanical Strength.....	39
7.9.1	General.....	39
7.9.2	Steady Force.....	39
7.9.3	Drop	39
7.9.4	Impact	39
7.9.5	Thermoplastic Mold-Stress Relief.....	39
7.10	Blade Strength of Retention	39
7.11	Operational Instructions and Limitations	40
7.12	Aviation Regulation Awareness Leaflet.....	40
7.13	Label	40
8	Product Requirements and Compliance for Class 4 UAS	40
8.1	Fly Safe & Maximum Take-Off Mass (MTOM).....	40
8.2	Operational Instructions and Limitations	41
8.3	Advisory Geofencing	41
8.4	Electrical Properties	41
8.4.1	General.....	41
8.4.2	Operating Voltage	41
8.4.3	Charging Circuit Limits	41
8.4.4	Fault Conditions Shock Protection	41
8.4.5	Fire Hazard Protection.....	42
8.4.6	EMC.....	42
8.5	Flammability and Explosion	42
8.6	Mechanical Strength.....	42
8.6.1	General.....	42
8.6.2	Steady Force.....	43
8.6.3	Drop	43
8.6.4	Impact	43

8.6.5	Thermoplastic Mold-Stress Relief	43
8.7	Blade Strength of Retention.....	43
8.8	Aviation Regulation Awareness Leaflet.....	43
8.9	Loss of Data Link	43
8.10	Label	44
9	Safety requirements for components.....	44
9.1	Charging unit for the flight battery	44
9.2	Remote pilot station	44
9.3	Charging unit for the battery of the remote control	44
9.4	Payloads	44
9.5	Rotors.....	44
	Annex A (informative) UA Manufacturer Qualification and Assessment	45
	Bibliography	47