

# DIN EN 16602-70-26:2019-07 (E)

Space product assurance - Crimping of high-reliability electrical connections;  
English version EN 16602-70-26:2019

---

Inhalt	Seite
<b>European Foreword</b> .....	<b>5</b>
<b>1 Scope</b> .....	<b>7</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>11</b>
3.1 Terms defined in other standards.....	11
3.2 Terms specific to the present standard .....	11
3.3 Abbreviated terms .....	12
3.4 Nomenclature .....	13
<b>4 Principles</b> .....	<b>14</b>
<b>5 Requirements</b> .....	<b>15</b>
5.1 Preparatory conditions .....	15
5.1.1 Facilities.....	15
5.1.2 Tools and equipment.....	16
5.2 Crimping operations for different types of interconnections .....	18
5.2.1 General.....	18
5.2.2 Material selection.....	19
5.2.3 Process review and documentation.....	20
5.2.4 Contact barrel and single wire crimping .....	20
5.2.5 Contact barrel and multiple wire crimping .....	21
5.2.6 Ferrule shield crimping .....	23
5.2.7 Lug and splice wire crimping .....	23
5.3 Requirements for crimp configuration qualification.....	26
5.3.1 General.....	26
5.3.2 Qualification process test procedure .....	27
5.3.3 Sealing and marking.....	29
5.3.4 Batch to batch variation .....	29
5.4 Test methods.....	29
5.4.1 General.....	29
5.4.2 <<deleted>> .....	29

5.4.3	Tensile strength .....	30
5.4.4	Metallography .....	31
5.5	Quality assurance .....	32
5.5.1	General .....	32
5.5.2	Personnel training and certification.....	32
5.5.3	Workmanship.....	35
5.5.4	Visual inspection.....	37
5.5.5	Shift performance inspection and test for harness manufacturing.....	39
5.5.6	Calibration of crimping tools .....	40
5.5.7	Records .....	41
5.5.8	Nonconformance .....	42
5.5.9	Special crimping activities at spacecraft level, modifications and repairs...	42
5.6	Document requirements .....	45
<b>Annex A (informative) Crimp configurations and tools .....</b>		<b>46</b>
<b>Annex B (informative) Examples of typical ultimate axial strength .....</b>		<b>53</b>
<b>Bibliography.....</b>		<b>55</b>

**Figures**

Figure 1-1: Example of interconnections described in this Standard .....	8
Figure 5-1: Example of crimping tools .....	17
Figure 5-2: Example of a typical connector barrel and single wire crimping .....	21
Figure 5-3: Example of a typical connector barrel and multi-wire crimping .....	22
Figure 5-4: Example of a typical ferrule shield crimping .....	23
Figure 5-5: Examples of typical lug and splice wire crimping (1 of 2).....	25
Figure 5-6: Examples of typical lug and splice wire crimping (2 of 2).....	26
Figure 5-7: Qualification process test procedure flow chart .....	28
Figure 5-8: Quality control during crimping operation.....	34
Figure 5-9: Visible workmanship standards.....	36
Figure 5-10: Workmanship examples and crimp micro-sections.....	37
Figure 5-11: Shift performance test flowchart.....	44

**Tables**

Table 5-1: Equipment for verification process .....	18
Table A-1 : Guideline for selector setting - Four-indent crimp (dispersive) - Single wire.....	48

Table A-2 : Guideline for selector setting - Four-indent crimp (dispersive) - Two wires .....	49
Table A-3 : Guideline for selector setting – Four-indent crimp (dispersive) – Two different wires .....	50
Table A-4 : Guideline for selector setting – Four-indent crimp (dispersive) – Single wire .....	50
Table A-5 : Guideline for selector setting – Four-indent crimp (dispersive) – Two identical wires .....	50
Table A-6 : Guideline for die selection – Regular hexagon (compactive ) – Ferrule coaxial shield crimp.....	51
Table B-1 : Typical ultimate axial strength for compactive and dispersive crimped joints manufactured using qualified ESCC wires .....	53