ISO 26900:2012-07 (E)

Space data and information transfer systems - Orbit data messages

CONTENTS

Section Page

1 INTRODUCTION **1-1**

1.1 PURPOSE AND SCOPE 1-1
1.2 APPLICABILITY 1-1
1.3 RATIONALE 1-2
1.4 DOCUMENT STRUCTURE 1-2
1.5 DEFINITIONS 1-3
1.6 NOMENCLATURE 1-3
1.7 REFERENCES 1-3

2 OVERVIEW **2-1**

2.1 ORBIT DATA MESSAGE TYPES 2-1
2.2 ORBIT PARAMETER MESSAGE (OPM) 2-1
2.3 ORBIT MEAN-ELEMENTS MESSAGE (OMM) 2-1
2.4 ORBIT EPHEMERIS MESSAGE (OEM) 2-2
2.5 EXCHANGE OF MULTIPLE MESSAGES 2-2
2.6 DEFINITIONS 2-2

3 ORBIT PARAMETER MESSAGE (OPM) **3-1**

3.1 GENERAL 3-1
3.2 OPM CONTENT/STRUCTURE 3-1
3.3 OPM EXAMPLES 3-7

4 ORBIT MEAN-ELEMENTS MESSAGE (OMM) **4-1**

4.1 GENERAL 4-1
4.2 OMM CONTENT/STRUCTURE 4-2
4.3 OMM EXAMPLES 4-8

5 ORBIT EPHEMERIS MESSAGE (OEM) **5-1**

5.1 GENERAL 5-1
5.2 OEM CONTENT/STRUCTURE 5-1
5.3 OEM EXAMPLES 5-7

6 ORBIT DATA MESSAGE SYNTAX 6-1

6.1 OVERVIEW 6-1
6.2 GENERAL 6-1
6.3 ODM LINES 6-1
6.4 KEYWORD = VALUE NOTATION AND ORDER OF ASSIGNMENT STATEMENTS 6-1
6.5 VALUES 6-2
6.6 UNITS IN THE ORBIT DATA MESSAGES 6-4
6.7 COMMENTS IN THE ORBIT DATA MESSAGES 6-5
6.8 ORBIT DATA MESSAGE KEYWORDS 6-6

7 SECURITY 7-1

7.1 OVERVIEW 7-1
7.2 SECURITY CONCERNS RELATED TO THIS RECOMMENDED STANDARD 7-1
7.3 POTENTIAL THREATS AND ATTACK SCENARIOS 7-2
7.4 CONSEQUENCES OF NOT APPLYING SECURITY TO THE TECHNOLOGY 7-2
7.5 DATA SECURITY IMPLEMENTATION SPECIFICS 7-2

Cor. 1

ANNEX A VALUES FOR TIME_SYSTEM AND FRAME RELATED KEYWORDS (NORMATIVE) A-1
ANNEX B ABBREVIATIONS AND ACRONYMS (INFORMATIVE) B-1
ANNEX C RATIONALE FOR ORBIT DATA MESSAGES (INFORMATIVE) C-1
ANNEX D ITEMS FOR AN INTERFACE CONTROL DOCUMENT (INFORMATIVE) D-1
ANNEX E CHANGES IN ODM VERSION 2 (INFORMATIVE) E-1
ANNEX F CREATING A VERSION 1.0 COMPLIANT OPM/OEM (INFORMATIVE) F-1
ANNEX G INFORMATIVE REFERENCES (INFORMATIVE) G-1

Figure

3-1 Simple OPM File Example 3-7
3-2 OPM File Example with Optional Keplerian Elements and Two Maneuvers 3-8
3-3 OPM File Example with Covariance Matrix 3-9
3-4 OPM File Example with Optional Keplerian Elements, Covariance Matrix, and a User Defined Parameter 3-10
4-1 Example Two Line Element Set (TLE) 4-8
4-2 OMM File Example without Covariance Matrix 4-8

CONTENTS (continued)

Figure Page

4-3 OMM File Example with Covariance Matrix 4-9
4-4 OMM with Units and a User Defined Parameter 4-10
5-1 Version 1 OEM Compatible Example (No Acceleration, No Covariance) 5-8
5-2 Version 2 OEM Example with Optional Accelerations 5-9
5-3 Version 2 OEM Example with Optional Covariance Matrices 5-10

Table

3-1 OPM Header 3-2
3-2 OPM Metadata 3-3
3-3 OPM Data 3-4
4-1 OMM Header 4-2
4-2 OMM Metadata 4-4
4-3 OMM Data 4-5
5-1 OEM File Layout Specifications 5-2
5-2 OEM Header 5-3
5-3 OEM Metadata 5-4
C-1 Primary Requirements C-2
C-2 Heritage Requirements C-3
C-3 Desirable Characteristics C-3
C-4 Applicability of the Criteria to Orbit Data Messages C-4
C-5 Services Available with Orbit Data Messages C-5