

DIN EN 16603-32-02:2014-10 (E)

Space engineering - Structural design and verification of pressurized hardware;
English version EN 16603-32-02:2014

Table of contents

Foreword	5
1 Scope.....	6
2 Normative references.....	7
3 Terms, definitions, and abbreviated terms.....	8
3.1 Terms from other standards.....	8
3.2 Terms specific to the present standard	8
3.3 Abbreviated terms.....	14
3.4 Symbols.....	15
4 General requirements.....	16
4.1 Overview	16
4.1.1 Content	16
4.1.2 Categories of pressurized hardware.....	16
4.2 General.....	17
4.2.1 Leak tightness.....	17
4.2.2 Classification of fracture critical parts	17
4.2.3 Operation and maintenance	18
4.2.4 Service life extension, reactivation and re-acceptance	20
4.3 Pressure vessels	21
4.3.1 Factors of safety	21
4.3.2 Metallic pressure vessels	22
4.3.3 COPV with metallic liner.....	25
4.3.4 COPV with homogeneous non metallic liner and CPV	29
4.4 Pressurized structures	33
4.4.1 Factors of safety	33
4.4.2 Metallic pressurized structures.....	34
4.4.3 COPS with metallic liner.....	36
4.4.4 COPS with homogeneous non metallic liner and CPS	39
4.5 Pressure components.....	43
4.5.1 Metallic pressure components.....	43

4.5.2	COPC with metallic liner.....	45
4.5.3	COPC with homogeneous non metallic liner	48
4.6	Special pressurized equipment.....	51
4.6.1	Metallic special pressurized equipment.....	51
4.6.2	COSPE with metallic liner	58
4.6.3	COSPE with homogeneous non metallic liner	61
5	Specific requirements	65
5.1	Overview	65
5.2	Structural engineering.....	65
5.3	Failure mode demonstration	66
5.3.1	General	66
5.3.2	Demonstration of LBB by analysis.....	67
5.3.3	Demonstration of LBB by test using coupons	68
5.3.4	Demonstration of LBB by test using full-scale article	68
5.3.5	Report of LBB demonstration	69
5.4	Qualification tests	70
5.4.1	General	70
5.4.2	Proof pressure test.....	70
5.4.3	Leak test	71
5.4.4	Vibration test.....	71
5.4.5	Pressure cycling test.....	71
5.4.6	Design burst pressure test	71
5.4.7	Burst test.....	71
5.5	Acceptance tests	72
5.5.1	General	72
5.5.2	Proof pressure test.....	72
5.5.3	Leak test	72
5.6	Composite over-wrap material characterization	73
5.7	Inspection	73
5.7.1	General	73
5.7.2	Inspection techniques for composite over-wraps and composites	74
Bibliography.....	75	

Figures

Figure 4-1: Breakdown of PH types covered by this Standard.....	16
Figure 4-2: Flowchart describing PH classifications covered by this Standard.....	17

Figure 4-3: Development approach of MPV	23
Figure 4-4: Development approach of COPV with metallic liner.....	28
Figure 4-5: Development approach of COPV with homogeneous non metallic liner and CPV	32
Figure 4-6: Development approach of MPS	35
Figure 4-7: Development approach of COPS with metallic liner.....	39
Figure 4-8: Development approach of COPS with homogeneous non metallic liner and CPS	42
Figure 4-9: Development approach of MPC.....	45
Figure 4-10: Development approach of sealed containers.....	54
Figure 4-11: Development approach of cryostats (or Dewars).....	55
Figure 4-12: Development approach of heat pipes	56
Figure 4-13: Development approach of hazardous fluid containers	57

Tables

Table 4-1: Factors of safety for PV (unmanned and manned missions).....	22
Table 4-2: Factors of safety for PS (unmanned mission)	33
Table 4-3: Factors of safety for PS (manned mission)	33
Table 4-4: Factors of safety for manned modules.....	33
Table 4-5: Factors of safety for MPC (unmanned and manned missions).....	43
Table 4-6: Factors of safety for COPC with metallic liner (unmanned and manned missions).....	46
Table 4-7: Factors of safety for COPC with homogeneous non metallic liner (unmanned and manned missions)	49
Table 4-8: Factors of safety for MSPE (unmanned and manned missions).....	52
Table 4-9: Factors of safety for COSPE with metallic liner (unmanned and manned missions)	59
Table 4-10: Factors of safety for COSPE with homogeneous non metallic liner (unmanned and manned missions)	61