DIN EN 16603-50-52:2014-12 (E)

Space engineering - SpaceWire - Remote memory access protocol; English version EN 16603-50-52:2014

Contents

Page

Foreword **7**

1 Scope **8**

2 Normative references **9**

3 Terms, definitions and abbreviated terms **10**

3.1 Terms defined in other standards 10

3.2 Terms specific to the present standard 10

3.3 Abbreviated terms 10

3.4 Conventions 11

4 Principles **12**

4.1 Remote Memory Access Protocol (RMAP) purpose 12

4.2 Guide to clause 5 12

4.3 RMAP operations 13

4.3.1 Introduction 13

4.3.2 Write commands 13

4.3.3 Read commands 14

4.3.4 Read-modify-write 14

5 Requirements **15**

5.1 RMAP command and reply fields 15

5.1.1 Target SpaceWire Address field 15

5.1.2 Target Logical Address field 15

5.1.3 Protocol Identifier field 15

5.1.4 Instruction field 16

5.1.5 Key field 17

5.1.6 Reply Address field 17

5.1.7 Initiator Logical Address field 19

5.1.8 Transaction Identifier field 19

5.1.9 Extended Address field 19

5.1.10 Address field 19

5.1.11 Data Length field 20

5.1.12 Header CRC field 20
5.1.13 Data field 20
5.1.14 Mask field 20
5.1.15 Data CRC field 20
5.1.16 Reply SpaceWire Address field 20
5.1.17 Status field 20
5.2 Cyclic Redundancy Code 21
5.3 Write Command 23
5.3.1 Write command format 23
5.3.2 Write reply format 26
5.3.3 Write action 28
5.4 Read Command 39
5.4.1 Read command format 39
5.4.2 Read reply format 41
5.4.3 Read action 43
5.5 Read-Modify-Write Command 52
5.5.1 Read-modify-write command format 52
5.5.2 Read-modify-write reply format 56
5.5.3 Read-modify-write action 59
5.6 Error and status codes 70
5.6.1 Error and status codes 70
5.7 Partial Implementations of RMAP 72
5.7.1 Limited functionality nodes 72
5.7.2 Partial implementations 72
5.8 RMAP conformance 73
5.8.1 Overview 73
5.8.2 RMAP partial implementations 73

Annex A (informative) Example of RMAP CRC implementation 77
A.1 Overview 77
A.2 VHDL implementation of RMAP CRC 77
A.3 C-code implementation of RMAP CRC 79
A.4 RMAP CRC test patterns 81

Annex B (informative) Example Service Interface specification 88
B.1 Overview 88
B.2 Write Service 89
B.2.1 Initiator 89
B.2.2 WRITE.request 89

B.2.3 WRITE.confirmation 89
B.2.4 Target 90
B.2.5 WRITE.authorisation.indication 90
B.2.6 WRITE.authorisation.response 91
B.2.7 WRITE.data.indication 91
B.2.8 WRITE.data.response 92
B.2.9 WRITE.indication 92
B.3 Read Service 93
B.3.1 Initiator 93
B.3.2 READ.request 93
B.3.3 READ.confirmation 93
B.3.4 Target 94
B.3.5 READ.authorisation.indication 94
B.3.6 READ.authorisation.response 95
B.3.7 READ.data.indication 95
B.3.8 READ.data.response 96
B.3.9 READ.indication 96
B.4 Read-Modify-Write Service 97
B.4.1 Initiator 97
B.4.2 RMW.request 97
B.4.3 RMW.confirmation 97
B.4.4 Target 98
B.4.5 RMW.authorisation.indication 98
B.4.6 RMW.authorisation.response 99
B.4.7 RMW.read.data.indication 99
B.4.8 RMW.read.data.response 100
B.4.9 RMW.write.data.indication 100
B.4.10 RMW.write.data.response 101
B.4.11 RMW.indication 102

Annex C (informative) Mapping to CCSDS SOIS Remote memory access service 103

Bibliography 108

Figures

Figure 5-1: Write Command format 23
Figure 5-2: Write Reply format 26
Figure 5-3: Write Command/Reply sequence 28

Figure 5-4: Write Command Header Error 30
Figure 5-5: Write Data Authorisation Rejection 32
Figure 5-6: Write Command Data Error 35
Figure 5-7: Write Reply Error 38
Figure 5-8: Read Command format 39
Figure 5-9: Read Reply format 41
Figure 5-10: Read Command/Reply sequence 44
Figure 5-11: Read Command Header Error 46
Figure 5-12: Read Authorisation Rejection 49
Figure 5-13: Read Reply Header Error 51
Figure 5-14: Read Reply Data Error 52
Figure 5-15: Read-Modify-Write Command format 53
Figure 5-16: Example Operation of Read-Modify-Write Command 56
Figure 5-17: Read-Modify-Write Reply format 57
Figure 5-18: Read-Modify-Write Command/Reply sequence 59
Figure 5-19: Read-Modify-Write Command Header Error 61
Figure 5-20: Read-Modify-Write Command Data Error 64
Figure 5-21: Read-Modify-Write Authorisation Rejection 66
Figure 5-22: Read-Modify-Write Reply Error 68
Figure 5-23: RMW Reply Data Error 69

Figure B-1 : SOIS communication architecture 88
Figure C-1 : RMAP model 103
Figure C-2 : SOIS model 104

Tables

Table 5-1: RMAP Command Codes 16
Table 5-2: Reply Address field size 18
Table 5-3: Example Reply Address field to Reply SpaceWire Address mappings 18
Table 5-4: Error and Status codes 71
Table 5-5: SpaceWire RMAP write command 74
Table 5-6: Example of Write Command Product Characteristics 74
Table 5-7: SpaceWire RMAP Read Command 75
Table 5-8: Example Read Command Product Characteristics 75
Table 5-9: SpaceWire RMAP Read-Modify-Write Command 76
Table 5-10: Example Read-Modify-Write Command Product Characteristics 76

Table C-1 : Comparison of RMAP and Remote Memory Access primitives 105
Table C-2 : WRITE.request parameters 106
Table C-3 : WRITE.confirmation parameters 106
Table C-4 : READ.request parameters 106
Table C-5 : READ.confirmation parameters.....106
Table C-6 : RMW.request parameters 107
Table C-7 : RMW.confirmation parameters.....107