DIN EN 16603-50-13:2014-12 (E)

Space engineering - Interface and communication protocol for MIL-STD-1553B data bus onboard spacecraft; English ver sion EN 16603-50-13:2014

Contents

Page

Foreword 7

1 Scope 8

2 Normative references 10

3 Terms, definitions and abbreviated terms 11

3.1 Terms from other standards 11

3.2 Terms and definitions to the present standard 11

3.3 Abbreviated terms 12

3.4 Conventions 13

3.4.1 Bit numbering convention 13

3.4.2 Sub-address convention 13

4 Overview 14

4.1 Context 14

4.2 Approach 14

4.3 Reference architecture 15

4.3.1 Communication devices architecture 15

4.3.2 Mapping on CCSDS/SOIS sub-network layer 15

4.3.3 Service model 17

4.3.4 1553 bus topology 18

4.4 1553 bus scheduling aspects 19

4.4.1 Bus profiling and scheduling 19

4.4.2 Bandwidth pre-allocation 21

4.4.3 Implementation of the bus profile 23

4.5 Description of services 25

4.5.1 Overview 25

4.5.2 Time service 27

4.5.3 Communication Synchronization service 31

4.5.4 Distribution and acquisition: Set and Get Data services 34

4.5.5 Data Block Transfer service 41

4.5.6 Terminal Management services 49

5 Physical Layer requirements 50
5.1 Overview 50
5.2 General 52
5.3 Data bus characteristics 52
5.4 Terminal characteristics 52
5.5 Connectors 53
5.5.1 General 53
5.5.2 Pin allocation for 15-pin 54
5.5.3 Pin allocation for remote terminal nominal bus 54
5.6 Transmission method 55
6 Data Link Layer requirements 56
6.1 General 56
6.2 Data Words and Messages 56
6.2.1 Data word format 56
6.2.2 Messages 58
6.3 Terminal operation 59
6.4 Subaddress usage 59
6.5 Message retries 59
7 Services definition 61
7.1 Time service 61
7.1.1 TimeData primitive 61
7.1.2 TimeSynchronize primitive 62
7.2 Communication Synchronization service 63
7.2.1 CommunicationSynchronize primitive 63
7.3 Set Data service 64
7.3.1 SendData primitive 64
7.3.2 ReadStatus primitive 66
7.4 Get Data service 67
7.4.1 ReceiveData primitive 67
7.4.2 ReadData primitive 69
7.5 Data Block Transfer Service 69
7.5.1 SendData primitive 69
8 Protocol specification 71
8.1 Overview 71
8.2 Time service 71
8.2.1 Time Data primitive 71

8.2.2 Time Synchronize primitive 72
8.3 Communication Synchronization service 74
8.3.1 Requirements when the Time Synchronization service is implemented....74
8.3.2 Requirements when the Time Synchronization service is not Implemented 75
8.3.3 BC Requirements for Accurate Message Transfer (optional)....76
8.4 Set Data service 77
8.4.1 BC requirements 77
8.4.2 RT Requirements 77
8.5 Get Data service 77
8.5.1 BC requirements 77
8.5.2 RT requirements 78
8.6 Data Block Transfer service 78
8.6.1 Data Distribution requirements (BC to RT transfer) 78
8.6.2 Data Acquisition requirements (RT to BC transfer)....83
8.7 Terminal Management services 89
8.7.1 RT monitoring 89
8.7.2 RT Health data word definition 90
8.7.3 Terminal configuration commands 91
8.7.4 Data wrap around 92

9 Test and verification....93
9.1 Test specification 93
9.2 Tests traceability....93
9.3 Test references....93

Annex A (informative) Tailoring guidelines....94
A.1 Scope 94
A.2 Tailoring options and parameters....94
A.2.1 Overview....94
A.2.2 Step 1: Function and service selection 94
A.2.3 Step 2: Services configuration....94

Annex B (informative) Unreferenced requirements in MIL-STD-1553B 99

Bibliography....100

Figures

Figure 3-1: Bit numbering convention 13
Figure 4-1: Architecture of typical communication devices with MIL-STD-1553B I/F....16

Figure 4-2: CCSDS/SOIS communication stack architecture....16
Figure 4-3: Service model....17
Figure 4-4: 1553 Bus topology....18
Figure 4-5: Examples of 1553 bus redundancy scheme....19
Figure 4-6: Process of Bus Profiling....20
Figure 4-7: Example of synchronous access (pre-allocated, populated)....22
Figure 4-8: Examples of asynchronous access (pre-allocated, unpopulated)....22
Figure 4-9: Typical implementation of 1553 messages sequence on BC....23
Figure 4-10: Typical communication frame decomposition on BC....24
Figure 4-11: Services dependencies....26
Figure 4-12: Time Service steps....28
Figure 4-13: Time Service....29
Figure 4-14: Time distribution and synchronization....30
Figure 4-15: Communication Synchronization scenarios....31
Figure 4-16: Communication Synchronization....32
Figure 4-17: Communication Frame duration adjustment methods....33
Figure 4-18: Set Data service....36
Figure 4-19: Get Data service....39
Figure 4-20: Data Distribution Transfer, BC to RT.....45
Figure 4-21: Data Distribution timing with Best Effort QoS....45
Figure 4-22: Data Distribution timing with Verified Length QoS....46
Figure 4-23: Data Acquisition Transfer, RT to BC....47
Figure 4-24: Data Acquisition timing with Best Effort QoS....48
Figure 4-25: Data Acquisition timing with Verified Length QoS....48
Figure 5-1: Bus connectors for separated BCs or RTs....50
Figure 5-2: Bus connectors for integrated BCs or RTs....51
Figure 5-3: Bus connectors for separated BCs or RTs connected to dual buses....51

Tables

Table 5-1: Pin allocation for 15-pin Bus Controller 1553 Bus Connector....53
Table 5-2: Pin allocation for 15-pin Remote Terminal 1553 Bus Connector....53
Table 5-3: Pin allocation for 9-pin Bus Controller or Remote Terminal 1553 Bus Connector....54
Table 5-4: Pin allocation for Remote Terminal nominal bus....55
Table 6-1: Subaddress allocation....60
Table 7-1: TimeData primitive definition....61
Table 7-2: TimeSynchronize primitive definition....62
Table 7-3: CommunicationSynchronize primitive definition....63

Table 7-4: SendData primitive definition with predefined transfers (Type I) 64
Table 7-5: SendData primitive definition with pre-allocated bandwidth (Type II) 65
Table 7-6: ReadStatus primitive definition 66
Table 7-7: ReceiveData primitive definition with predefined transfers (Type I).....67
Table 7-8: ReceiveData primitive definition with pre-allocated bandwidth (Type II).....68
Table 7-9: ReadData primitive definition.....69
Table 7-10: SendData primitive definition for the Data Block Transfer Service 70
Table 8-1: Time Message data words, CCSDS CUC format.....72
Table 8-2: Communication Frame Synchronization Message Data Word 75
Table 8-3: Layout of the Distribution Transfer Descriptor (BC to RT, SA 27R).....78
Table 8-4: Layout of the Distribution Transfer Confirmation (BC to RT, SA 27T) 82
Table 8-5: Layout of the Acquisition Transfer Confirmation, ATC (BC to RT, SA 28R) 85
Table 8-6: Layout of the Acquisition Transfer Request, ATR (RT to BC, SA 28T).....86
Table 8-7: SA 1T: RT_Health & Monitoring data definition.....90
Table 8-8: RT_Health data definition 91
Table 8-9: SA 1R: Terminal Configuration definition 92
Table 8-10: Reset Services command definition.....92

Table A-1 : Requirements selection.....95
Table A-2 : Services configuration.....96