

DIN EN 16603-31:2014-12 (E)

Space engineering - Thermal control general requirements; English version EN 16603-31:2014

| Contents | Page |
|---------------------------------------------------------|-----------|
| Foreword | 5 |
| 1 Scope | 6 |
| 2 Normative references | 7 |
| 3 Terms, definitions and abbreviated terms | 8 |
| 3.1 Terms from other standards..... | 8 |
| 3.2 Terms specific to the present standard | 8 |
| 3.3 Abbreviated terms..... | 19 |
| 4 Requirements | 21 |
| 4.1 Mission | 21 |
| 4.1.1 General | 21 |
| 4.1.2 Ground and pre-launch | 21 |
| 4.1.3 Launch and ascent..... | 21 |
| 4.1.4 Planetary orbital phases..... | 22 |
| 4.1.5 Interplanetary phases..... | 22 |
| 4.1.6 Planetary natural environment | 22 |
| 4.1.7 Docking, docked and separation phases | 22 |
| 4.1.8 Descent, entry and landing..... | 23 |
| 4.1.9 Post-landing phases..... | 23 |
| 4.2 Performance | 23 |
| 4.2.1 General | 23 |
| 4.2.2 High temperature range | 24 |
| 4.2.3 Cryogenic temperature range..... | 24 |
| 4.2.4 Functionality..... | 25 |
| 4.3 Requirements towards other subsystems | 25 |
| 4.3.1 General | 25 |
| 4.3.2 Mechanical..... | 25 |
| 4.3.3 Electrical | 26 |
| 4.3.4 AOCS..... | 26 |
| 4.3.5 TM/TC..... | 27 |

| | | |
|--------|-------------------------------------------------|----|
| 4.3.6 | OBDH and S/W | 27 |
| 4.3.7 | Launcher | 27 |
| 4.3.8 | GSE | 28 |
| 4.3.9 | ECLS | 28 |
| 4.4 | Design | 28 |
| 4.4.1 | General | 28 |
| 4.4.2 | Budget allocation | 29 |
| 4.4.3 | Parts, materials and processes (PMP) | 29 |
| 4.4.4 | EEE components | 29 |
| 4.4.5 | Lifetime | 29 |
| 4.4.6 | Predictability and testability | 29 |
| 4.4.7 | Flexibility | 29 |
| 4.4.8 | Integration and accessibility | 29 |
| 4.4.9 | Reliability | 30 |
| 4.4.10 | Interchangeability | 30 |
| 4.4.11 | Maintenance | 30 |
| 4.4.12 | Safety | 30 |
| 4.4.13 | Availability | 30 |
| 4.5 | Verification | 30 |
| 4.5.1 | Overview | 30 |
| 4.5.2 | Verification requirements specific to TCS | 30 |
| 4.5.3 | Thermal balance test (TBT) | 32 |
| 4.6 | Production and manufacturing | 34 |
| 4.6.1 | Procurement | 34 |
| 4.6.2 | Manufacturing process | 35 |
| 4.6.3 | Quality management | 35 |
| 4.6.4 | Cleanliness and Contamination | 35 |
| 4.6.5 | Integration | 36 |
| 4.6.6 | Identification and Marking | 36 |
| 4.6.7 | Packaging, handling, transportation | 36 |
| 4.6.8 | Storage | 36 |
| 4.6.9 | Repair | 36 |
| 4.7 | In-service requirements | 36 |
| 4.8 | Product assurance | 37 |
| 4.9 | Deliverables | 37 |
| 4.9.1 | General | 37 |
| 4.9.2 | Hardware | 37 |

| | | |
|----------|-----------------------------------------------------------|-----------|
| 4.9.3 | Documentation..... | 37 |
| 4.9.4 | Mathematical models | 39 |
| 5 | Document requirements definitions (DRD) list | 40 |
| | Bibliography..... | 64 |

Figures

| | |
|------------------------------------------------------------------------------------------------|----|
| Figure 3-1: Temperature definitions for thermal control system (TCS)..... | 9 |
| Figure 3-2: Temperature definitions for unit thermal design..... | 16 |
| Figure 4-1: Product exchange between the system, TCS and the supplier or manufacturer | 38 |

Tables

| | |
|-------------------------------------------------------------------------------------------------------------|----|
| Table 5-1: ECSS-E-ST-31 DRD list | 41 |
| Table G-1 : Definitions and requirements for the cryogenic temperature range used in this Standard | 62 |
| Table H-1 : Definitions and requirements for the high temperature range used in this Standard | 63 |