

ISO 22663:2015-08 (E)

Space data and information transfer systems - Proximity-1 space link protocol - Data link layer

Contents	Page
1 INTRODUCTION	1-1
1.1 PURPOSE.....	1-1
1.2 SCOPE.....	1-1
1.3 APPLICABILITY.....	1-1
1.4 RATIONALE.....	1-2
1.5 CONVENTIONS AND DEFINITIONS.....	1-2
1.6 REFERENCES	1-7
2 OVERVIEW	2-1
2.1 CONCEPT OF PROXIMITY-1.....	2-1
2.2 OVERVIEW OF SERVICES	2-6
3 PROTOCOL DATA UNITS	3-1
3.1 OVERVIEW—CONTEXT OF THE VERSION-3 TRANSFER FRAME.....	3-1
3.2 VERSION-3 TRANSFER FRAME.....	3-1
4 DATA LINK LAYER	4-1
4.1 FRAME SUBLAYER.....	4-1
4.2 MEDIUM ACCESS CONTROL SUBLAYER.....	4-2
4.3 DATA SERVICES SUBLAYER	4-5
4.4 INPUT/OUTPUT SUBLAYER.....	4-7
5 PROXIMITY-1 TIMING SERVICES	5-1
5.1 OVERVIEW	5-1
5.2 TIME TAG RECORDING	5-1
5.3 TIME CORRELATION PROCESS	5-2
5.4 TRANSFERRING TIME TO A REMOTE ASSET.....	5-3
6 DATA SERVICES OPERATIONS	6-1
6.1 OVERVIEW	6-1
6.2 PROXIMITY-1 STATE TABLES	6-1
6.3 ELEMENTS AND EVENTS THAT AFFECT STATE STATUS.....	6-14
6.4 STATE TRANSITION TABLES AND DIAGRAMS	6-19
6.5 INTERFACES WITH THE PHYSICAL LAYER (VIA CODING AND SYNCHRONIZATION SUBLAYER).....	6-31

<u>Section</u>	<u>Page</u>
6.6 SENDING OPERATIONS	6-32
6.7 RECEIVING OPERATIONS	6-34
7 COMMUNICATION OPERATIONS PROCEDURE FOR PROXIMITY LINKS	7-1
7.1 OVERVIEW	7-1
7.2 SENDING PROCEDURES (FOP-P)	7-1
7.3 RECEIVING PROCEDURES (FARM-P)	7-7
8 INPUT/OUTPUT SUBLAYER OPERATIONS	8-1
8.1 OVERVIEW	8-1
8.2 SENDING OPERATIONS	8-1
8.3 RECEIVING OPERATIONS	8-2
ANNEX A PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (PICS) PROFORMA (NORMATIVE)	A-1
ANNEX B VARIABLE-LENGTH SUPERVISORY PROTOCOL DATA FIELD FORMATS (NORMATIVE)	B-1
ANNEX C MANAGEMENT INFORMATION BASE PARAMETERS (NORMATIVE)	C-1
ANNEX D NOTIFICATIONS TO VEHICLE CONTROLLER (NORMATIVE) ...	D-1
ANNEX E SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE)	E-1
ANNEX F NASA MARS SURVEYOR PROJECT 2001 ODYSSEY ORBITER PROXIMITY SPACE LINK CAPABILITIES (INFORMATIVE)	F-1
ANNEX G NASA MARS RECONNAISSANCE ORBITER 2005 PROXIMITY SPACE LINK CAPABILITIES (INFORMATIVE)	G-1
ANNEX H INFORMATIVE REFERENCES (INFORMATIVE)	H-1
ANNEX I ABBREVIATIONS AND ACRONYMS (INFORMATIVE)	I-1
ANNEX J PROXIMITY-1 DATA FORMAT HIERARCHY (INFORMATIVE)	J-1

Figure

1-1 Bit Numbering Convention.....	1-6
1-2 Proximity-1 Rate Terminology	1-7
2-1 Proximity-1 Layered Protocol Model	2-2
3-1 Proximity-1 Protocol Data Unit Context Diagram	3-1
3-2 Version-3 Transfer Frame	3-2

<u>Figure</u>	<u>Page</u>
3-3 Transfer Frame Header	3-3
3-4 Proximity-1 Transfer Frame Data Field Contents of a U-Frame.....	3-9
3-5 Proximity Link Control Word Fields.....	3-13
4-1 COP-P Process.....	4-6
5-1 Proximity Time Tag Recording	5-2
5-2 Transferring Time to a Remote Asset.....	5-5
6-1 Full Duplex State Transition Diagram.....	6-20
6-2 Half Duplex State Transition Diagram	6-25
6-3 Simplex Operations	6-31
B-1 Type 1 SPDU Data Field Contents	B-2
B-2 SET TRANSMITTER PARAMETERS Directive	B-3
B-3 SET CONTROL PARAMETERS Directive	B-6
B-4 SET RECEIVER PARAMETERS Directive	B-9
B-5 SET V(R) Directive	B-12
B-6 Report Request.....	B-13
B-7 SET PL EXTENSIONS	B-15
B-8 Report Source Spacecraft ID	B-19
B-9 Type 2 SPDU Data Field Contents	B-21
F-1 NASA Mars Surveyor Project 2001 Odyssey SET TRANSMITTER PARAMETERS Directive	F-2
F-2 NASA Mars Surveyor Project 2001 Odyssey SET RECEIVER PARAMETERS Directive	F-4
F-3 Proximity Link Control Word Fields.....	F-7

Table

3-1 U-Frame Data Field Construction Rules	3-4
3-2 Setting the SCID Field and Source-or-Destination Identifier When the Frame Is Created	3-6
3-3 SCID Field and Source-or-Destination Identifier When the Frame Is Received	3-7
3-4 Segment Header Sequence Flags.....	3-10
3-5 Fixed-Length Supervisory Protocol Data Unit.....	3-12
3-6 Variable-Length Supervisory Protocol Data Unit	3-15
6-1 Proximity-1 Data Services Operations Roadmap	6-1
6-2 States Independent of the DUPLEX Variable	6-2
6-3 States When DUPLEX = Full.....	6-3
6-4 States When DUPLEX = Half	6-4
6-5 States When DUPLEX = Simplex (Receive or Transmit).....	6-6
6-6 Proximity-1 Control Variable Initialization Table	6-16

<u>Table</u>	<u>Page</u>
6-7 Full Duplex Session Establishment/Data Services State Transition Table	6-21
6-8 Full Duplex Communication Change State Table	6-23
6-9 Full Duplex Session Termination State Table	6-24
6-10 Half Duplex Session Establishment and Data Services.....	6-26
6-11 Half Duplex Communication Change State Table	6-29
6-12 Half Duplex Session Termination State Table	6-29
6-13 Simplex State Transition Table	6-31
6-14 Data Source Selection for Output Coded Symbol Stream with TRANSMIT = <i>on</i> and MODULATION = <i>on</i>	6-33