

# ISO/TR 18146:2015-10 (E)

## Space systems - Space debris mitigation design and operation guidelines for spacecraft

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Related documents and abbreviated terms and symbols .....</b>	<b>3</b>
2.1	Overview of ISO debris-related standards .....	3
2.2	ISO debris-related standards as of February 2015 .....	3
2.3	Other relevant ISO standards .....	4
2.4	Other documents .....	4
2.5	Abbreviated terms and symbols .....	5
<b>3</b>	<b>Requirements in ISO standards and system-level methodologies for complying with them</b>	
3.1	General .....	6
3.2	Design for limiting the release of objects .....	7
3.2.1	Requirements .....	7
3.2.2	Work breakdown .....	8
3.2.3	Identification of released objects and design measures .....	8
3.2.4	Design measures .....	9
3.2.5	Monitoring during operation .....	9
3.2.6	Preventing failure .....	9
3.3	Break-up prevention .....	10
3.3.1	Requirements .....	10
3.3.2	Work breakdown .....	10
3.3.3	Identification of the sources of break-up .....	10
3.3.4	Design measures .....	11
3.3.5	Monitoring during operations .....	11
3.3.6	Disposal operations .....	11
3.4	Disposal at the end of operation .....	11
3.4.1	Requirements .....	11
3.4.2	Work breakdown .....	12
3.4.3	Estimation of the orbital lifetime and definition of a disposal plan .....	13
3.4.4	Function to remove spacecraft to disposal orbit .....	14
3.4.5	Reliability of accomplishing disposal manoeuvre .....	14
3.4.6	Function to monitor critical parameters .....	15
3.4.7	Decision-making to terminate operations and for execution of disposal operations .....	15
3.4.8	Disposal sequence .....	15
3.4.9	Registration according to the UN treaty .....	15
3.4.10	Specific subjects for GEO mission .....	15
3.5	Ground safety from re-entering objects .....	15
3.5.1	Requirements .....	15
3.5.2	Work breakdown .....	15
3.5.3	Identification of requirements .....	16
3.5.4	Hazards analysis .....	16
3.5.5	Design measures .....	17
3.5.6	Specific design for controlled re-entry in subsystem level .....	18
3.5.7	Notification .....	18
3.5.8	Conduct controlled re-entry and monitoring .....	18
3.6	Collision avoidance .....	18
3.6.1	Background .....	18

3.6.2	Recommendation .....	19
3.6.3	Work breakdown .....	19
3.6.4	Estimation of collision probability .....	20
3.6.5	Design measures .....	20
3.6.6	Procedures for collision avoidance .....	21
3.6.7	Detection of risk .....	21
3.6.8	Avoidance and return manoeuvres .....	21
3.7	Protection against the impact of micro-debris .....	22
3.7.1	Background .....	22
3.7.2	Recommendation .....	23
3.7.3	Work breakdown .....	23
3.7.4	Preventive measures .....	23
3.8	Quality and reliability assurance .....	24
4	Debris-related work in the development cycle .....	25
4.1	Concept of debris-related work in phased planning .....	25
4.2	Mission analysis phase (phase 0 or pre-phase A) .....	28
4.2.1	General .....	28
4.2.2	Debris-related work .....	28
4.3	Feasibility phase (phase A) .....	29
4.4	Definition phase (phase B) .....	29
4.4.1	Work in phase B .....	29
4.4.2	Work procedure .....	29
4.5	Development phase (phase C) .....	30
4.5.1	Work in phase C .....	30
4.5.2	Conditions .....	31
4.6	Production phase (phase D) .....	31
4.6.1	Work in phase D .....	31
4.6.2	Qualification review .....	32
4.7	Utilization phase (phase E) .....	32
4.7.1	Launch preparation .....	32
4.7.2	Lift-off time .....	33
4.7.3	Initial operation .....	33
4.7.4	Normal operation .....	33
4.7.5	Decision to terminate operations .....	33
4.7.6	Process for extending mission operations .....	34
4.8	Disposal phase (phase F) .....	34
5	System-level considerations .....	35
5.1	Mission design .....	35
5.2	Mass allocation .....	35
5.3	Propellant allocation .....	36
5.4	Power allocation .....	36
6	Subsystem/component design and operation .....	36
6.1	General .....	36
6.2	Debris-mitigation measures and subsystem-level actions for realizing them .....	37
6.3	Propulsion subsystem .....	37
6.3.1	Debris-related design .....	37
6.3.2	Considerations for propulsion subsystems .....	37
6.3.3	Consideration in component design .....	41
6.4	Attitude and orbit control subsystem .....	43
6.4.1	Debris-related designs .....	43
6.4.2	Considerations for AOCS .....	43
6.4.3	Considerations in component design .....	44
6.5	Power-supply subsystem .....	44
6.5.1	Debris-related designs .....	44
6.5.2	Considerations for power-supply subsystems .....	45
6.5.3	Considerations in component design .....	46
6.6	TT&C subsystem .....	47
6.6.1	Debris-related designs .....	47

<b>6.6.2</b>	<b>Considerations for TT&amp;C subsystems .....</b>	<b>47</b>
<b>6.6.3</b>	<b>Considerations in component design .....</b>	<b>48</b>
<b>6.7</b>	<b>Structural subsystem .....</b>	<b>48</b>
<b>6.7.1</b>	<b>Debris-related design .....</b>	<b>48</b>
<b>6.7.2</b>	<b>Considerations for structural subsystems .....</b>	<b>49</b>
<b>6.8</b>	<b>Thermal-control subsystem .....</b>	<b>49</b>
<b>6.8.1</b>	<b>Debris-related design .....</b>	<b>49</b>
<b>6.8.2</b>	<b>Considerations for thermal-control subsystem .....</b>	<b>50</b>