

DIN EN 16602-70-26:2019-07 (E)

Space product assurance - Crimping of high-reliability electrical connections;
English version EN 16602-70-26:2019

Inhalt	Seite
European Foreword.....	5
1 Scope.....	7
2 Normative references.....	9
3 Terms, definitions and abbreviated terms.....	11
3.1 Terms defined in other standards.....	11
3.2 Terms specific to the present standard	11
3.3 Abbreviated terms	12
3.4 Nomenclature	13
4 Principles	14
5 Requirements.....	15
5.1 Preparatory conditions	15
5.1.1 Facilities.....	15
5.1.2 Tools and equipment	16
5.2 Crimping operations for different types of interconnections	18
5.2.1 General.....	18
5.2.2 Material selection.....	19
5.2.3 Process review and documentation.....	20
5.2.4 Contact barrel and single wire crimping	20
5.2.5 Contact barrel and multiple wire crimping	21
5.2.6 Ferrule shield crimping	23
5.2.7 Lug and splice wire crimping	23
5.3 Requirements for crimp configuration qualification.....	26
5.3.1 General.....	26
5.3.2 Qualification process test procedure	27
5.3.3 Sealing and marking.....	29
5.3.4 Batch to batch variation	29
5.4 Test methods.....	29
5.4.1 General.....	29
5.4.2 <>deleted>>	29

5.4.3	Tensile strength	30
5.4.4	Metallography	31
5.5	Quality assurance.....	32
5.5.1	General.....	32
5.5.2	Personnel training and certification.....	32
5.5.3	Workmanship.....	35
5.5.4	Visual inspection.....	37
5.5.5	Shift performance inspection and test for harness manufacturing.....	39
5.5.6	Calibration of crimping tools	40
5.5.7	Records	41
5.5.8	Nonconformance	42
5.5.9	Special crimping activities at spacecraft level, modifications and repairs... <td>42</td>	42
5.6	Document requirements	45
Annex A (informative)	Crimp configurations and tools	46
Annex B (informative)	Examples of typical ultimate axial strength	53
Bibliography.....		55

Figures

Figure 1-1: Example of interconnections described in this Standard	8
Figure 5-1: Example of crimping tools	17
Figure 5-2: Example of a typical connector barrel and single wire crimping	21
Figure 5-3: Example of a typical connector barrel and multi-wire crimping	22
Figure 5-4: Example of a typical ferrule shield crimping.....	23
Figure 5-5: Examples of typical lug and splice wire crimping (1 of 2).....	25
Figure 5-6: Examples of typical lug and splice wire crimping (2 of 2).....	26
Figure 5-7: Qualification process test procedure flow chart	28
Figure 5-8: Quality control during crimping operation.....	34
Figure 5-9: Visible workmanship standards.....	36
Figure 5-10: Workmanship examples and crimp micro-sections.....	37
Figure 5-11: Shift performance test flowchart.....	44

Tables

Table 5-1: Equipment for verification process	18
Table A-1 : Guideline for selector setting - Four-indent crimp (dispersive) - Single wire.....	48

Table A-2 : Guideline for selector setting - Four-indent crimp (dispersive) - Two wires	49
Table A-3 : Guideline for selector setting – Four-indent crimp (dispersive) – Two different wires	50
Table A-4 : Guideline for selector setting – Four-indent crimp (dispersive) – Single wire	50
Table A-5 : Guideline for selector setting – Four-indent crimp (dispersive) – Two identical wires	50
Table A-6 : Guideline for die selection – Regular hexagon (compactive) – Ferrule coaxial shield crimp.....	51
Table B-1 : Typical ultimate axial strength for compactive and dispersive crimped joints manufactured using qualified ESCC wires	53