ISO 22181:2021-02 (E)

Aerospace fluid systems and components - Variable displacement hydraulic motors - General specifications

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Classification 7

5 General requirements 7
5.1 Order of precedence 7
5.2 Hydraulic system characteristics 7
5.3 Airworthiness regulations 8
5.4 Qualification 8

6 Functional requirements 8
6.1 Hydraulic fluid 8
6.2 Pressures 8
6.2.1 Rated supply pressure 8
6.2.2 Rated differential pressure 8
6.2.3 No-load break-out pressure 8
6.2.4 Motor return port pressure 9
6.2.5 Case drain pressure 9
6.3 Flows 9
6.3.1 Rated consumption 9
6.3.2 Case drain flow 9
6.3.3 Shaft seal leakage 10
6.3.4 External leakage 10
6.4 Speed and direction of rotation 10
6.4.1 Speed 10
6.5 Torque 11
6.5.1 Rated torque 11
6.5.2 Break-out torque 11
6.5.3 Stalling torque 11
6.5.4 Maximum stalling torque 11
6.5.5 Torque pulsations 11
6.6 Variable output load control 11
6.6.1 General 11
6.6.2 Response time 12
6.6.3 Stability 12
6.7 Motor overall efficiency 12
6.8 Dynamic characteristics 13
6.8.1 General 13
6.8.2 Dynamic braking 13
6.8.3 Rapid reversals 13
6.9 Passive operation 13
6.10 Fluid and ambient temperature 13
6.10.1 Fluid temperature 13

6.10.2 Ambient temperature 13
6.11 Acoustic noise level 14
6.12 Rated endurance 14
6.13 Environmental requirements 14

7 Detail design requirements 15
7.1 Dimensionally critical components 15
7.2 Maintainability features 15
7.3 Seals 15
7.4 Lubrication 15
7.5 Balance 15
7.6 Self-contained failure 16
7.7 Safety wire sealing 16
7.8 Electro-conductive bonding 16
7.9 Marking 16
7.9.1 Nameplate 16
7.9.2 Modification standard 16
7.9.3 Fluid identification 16
7.9.4 Ports 16

8 Strength requirements 17
8.1 General 17
8.2 Proof pressure 17
8.2.1 Motor case 17
8.2.2 Motor inlet port 17
8.2.3 Motor return port 17
8.3 Ultimate pressure 17
8.3.1 Motor case 17
8.3.2 Motor inlet port 17
8.3.3 Motor return port 17
8.4 Pressure impulse (fatigue) 17
8.5 Port strength 18

9 Construction requirements 18
9.1 Materials 18
9.1.1 General 18
9.1.2 Metals 18
9.2 Corrosion protection 18
9.2.1 General 18
9.2.2 Ferrous and copper alloys 19
9.2.3 Aluminium alloys 19
9.3 Castings 19

10 Installation requirements 19
10.1 Dimensions 19
10.2 Mass 19
10.3 Mounting 20
10.4 Orientation 20
10.5 Drive shaft 20
10.6 Ports 20

11 Maintenance requirements 21
11.1 Maintenance concept 21
11.2 Service life limitations and storage specifications 21

12 Reliability requirements 21
12.1 Equipment compliance 21
12.2 Requirements 21

13 Quality assurance provisions 21
13.1 Responsibility for inspection 21

13.2 Classification of tests 21
13.3 Test stand requirements 22

14 Acceptance tests 22
14.1 General 22
14.2 Examination of the product 22
14.3 Test programme 23
14.3.1 General 23
14.3.2 External leakage requirements 23
14.3.3 Break-in run 23
14.3.4 Proof pressure and overspeed tests 23
14.3.5 Operational tests at rated conditions 24
14.3.6 Break-out torque test 24
14.3.7 Teardown inspection examination 24
14.3.8 Run-in 25
14.3.9 Speed control test 25
14.3.10 Performance data 25
14.3.11 Fluid contamination test 26
14.4 Storage and packaging 27

15 Qualification procedures 27
15.1 General 27
15.2 Qualification procedure 27
15.2.1 Qualification by analogy 27
15.2.2 Motor qualification test report 27
15.2.3 Samples and program of qualification tests 27
15.3 Qualification testing 28
15.3.1 Dimensional check 28
15.3.2 Expanded envelope acceptance tests 28
15.3.3 Overspeed test 28
15.3.4 Operational test at overpressure 29
15.3.5 Calibration 29
15.3.6 Endurance testing 31
15.3.7 Environmental tests 34
15.3.8 Structural tests 35
15.3.9 Combination tests 37
15.3.10 Supplementary tests 37

Bibliography 38