

Table of contents

| | |
|---|-----------|
| European Foreword | 6 |
| 1 Scope | 8 |
| 2 Normative references | 9 |
| 3 Terms, definitions and abbreviated terms | 10 |
| 3.1 Terms from other standards..... | 10 |
| 3.2 Terms specific to the present standard..... | 11 |
| 3.3 Abbreviated terms..... | 16 |
| 3.4 Nomenclature..... | 18 |
| 4 Principles | 19 |
| 5 Fracture control programme | 21 |
| 5.1 General..... | 21 |
| 5.2 Fracture control plan..... | 22 |
| 5.3 Reviews..... | 22 |
| 5.3.1 General..... | 22 |
| 5.3.2 Safety and project reviews..... | 22 |
| 6 Identification and evaluation of PFCI | 24 |
| 6.1 Identification of PFCIs..... | 24 |
| 6.2 Evaluation of PFCIs..... | 27 |
| 6.2.1 Damage tolerance..... | 27 |
| 6.2.2 Fracture critical item classification..... | 29 |
| 6.3 Compliance procedures..... | 29 |
| 6.3.1 General..... | 29 |
| 6.3.2 Safe life items..... | 30 |
| 6.3.3 Fail-safe items..... | 30 |
| 6.3.4 Contained and restrained items..... | 31 |
| 6.3.5 Low-risk fracture items..... | 32 |
| 6.4 Documentation requirements..... | 38 |
| 6.4.1 Fracture control plan..... | 38 |
| 6.4.2 Lists..... | 38 |

| | | |
|----------|---|-----------|
| 6.4.3 | Analysis and test documents..... | 38 |
| 6.4.4 | Fracture control summary report | 38 |
| 7 | Fracture mechanics analysis..... | 40 |
| 7.1 | General..... | 40 |
| 7.2 | Analytical life prediction | 41 |
| 7.2.1 | Identification of all load events | 41 |
| 7.2.2 | Identification of the most critical location and orientation of the crack..... | 42 |
| 7.2.3 | Derivation of stresses for the critical location..... | 42 |
| 7.2.4 | Derivation of the stress spectrum | 42 |
| 7.2.5 | Derivation of material data | 43 |
| 7.2.6 | Identification of the initial crack size and shape..... | 44 |
| 7.2.7 | Identification of an applicable stress intensity factor solution..... | 46 |
| 7.2.8 | Performance of crack growth calculations | 47 |
| 7.3 | Critical crack-size calculation | 47 |
| 8 | Special requirements | 49 |
| 8.1 | Introduction..... | 49 |
| 8.2 | Pressurized hardware..... | 49 |
| 8.2.1 | General | 49 |
| 8.2.2 | Pressure vessels..... | 50 |
| 8.2.3 | Pressurized structures | 51 |
| 8.2.4 | Pressure components, including lines and fittings | 52 |
| 8.2.5 | Low risk sealed containers | 53 |
| 8.2.6 | Hazardous fluid containers..... | 53 |
| 8.2.7 | Pressurized components with non-hazardous LBB failure mode..... | 54 |
| 8.3 | Welds | 54 |
| 8.3.1 | Nomenclature..... | 54 |
| 8.3.2 | Safe life analysis of welds | 55 |
| 8.4 | Composite, bonded and sandwich structures..... | 56 |
| 8.4.1 | General | 56 |
| 8.4.2 | Defect assessment..... | 56 |
| 8.4.3 | Damage threat assessment | 58 |
| 8.4.4 | Compliance procedures | 60 |
| 8.5 | Non-metallic items other than composite, bonded, sandwich and glass items | 62 |
| 8.6 | Rotating machinery..... | 63 |
| 8.7 | Glass components | 63 |
| 8.8 | Fasteners | 64 |
| 8.9 | Alloys treated with electric discharge manufacturing (EDM)..... | 65 |

| | |
|--|-----------|
| 9 Material selection | 66 |
| 10 Quality assurance and NDT | 67 |
| 10.1 Overview | 67 |
| 10.2 Nonconformances..... | 67 |
| 10.3 NDT of PFCI..... | 67 |
| 10.3.1 General | 67 |
| 10.3.2 NDT of raw material | 69 |
| 10.3.3 NDT of safe life finished items..... | 69 |
| 10.4 Non-destructive testing of metallic materials | 70 |
| 10.4.1 <<deleted>> | 70 |
| 10.4.2 NDT categories versus initial crack size | 70 |
| 10.4.3 <<deleted>> | 71 |
| 10.5 <<deleted>> | 72 |
| 10.5.1 <<deleted>> | 72 |
| 10.5.2 <<deleted>> | 73 |
| 10.6 Traceability | 73 |
| 10.6.1 General | 73 |
| 10.6.2 Requirements..... | 74 |
| 10.7 Detected defects..... | 74 |
| 10.7.1 General | 74 |
| 10.7.2 Acceptability verification | 75 |
| 10.7.3 Improved probability of detection..... | 76 |
| 11 Reduced fracture control programme | 77 |
| 11.1 Applicability..... | 77 |
| 11.2 Requirements | 77 |
| 11.2.1 General | 77 |
| 11.2.2 Modifications | 77 |
| Annex A (informative) The ESACRACK software package..... | 84 |
| Annex B (informative) References | 85 |
| Bibliography..... | 86 |
| | |
| Figures | |
| Figure 5-1: <<deleted, modified and moved to clause 6 as new Figure 6-1> | 22 |
| Figure 6-1: Identification of PFCI | 26 |
| Figure 6-2: Fracture control evaluation procedures | 28 |

| | |
|--|----|
| Figure 6-3: Safe life item evaluation procedure for metallic materials | 35 |
| Figure 6-4: Safe life item evaluation procedure for composite, bonded and sandwich items | 36 |
| Figure 6-5: Evaluation procedure for fail-safe items..... | 37 |
| Figure 7-1: Initial crack geometries for parts without hole | 45 |
| Figure 7-2: Initial crack geometries for parts with holes | 46 |
| Figure 7-3: Initial crack geometries for cylindrical parts | 46 |
| Figure 8-1: Procedure for metallic pressure vessel and metallic liner evaluation | 51 |
| Figure 10-1: <<deleted and moved to 7.2.6 as Figure 7-1>> | 72 |
| Figure 10-2: <<deleted and moved to 7.2.6 as Figure 7-2>> | 72 |
| Figure 10-3: <<deleted and moved to 7.2.6 as Figure 7-3>> | 72 |

Tables

| | |
|--|----|
| Table 8-1: Factor on stress for sustained crack growth analysis of glass items | 64 |
| Table 10-1: <<deleted (moved to ECSS-Q-ST-70-15)>> | 71 |