DIN EN 16603-20:2024-02 (E)

Space engineering - Electrical and electronic; English version EN 16603-20:2023

Contents

Page

European Foreword 6

1 Scope 7

2 Normative references 8

3 Terms, definitions and abbreviated terms 9

3.1 Terms from other standards 9

3.2 Terms specific to the present standard 9

3.3 Abbreviated terms 16

3.4 Nomenclature 18

4 General requirements 19

4.1 Interface requirements 19

4.1.1 Overview 19

4.1.2 Signals interfaces 19

4.1.3 Commands 19

4.1.4 Telemetry 21

4.2 Design 21

4.2.1 Failure containment and redundancy 21

4.2.2 Data processing 30

4.2.3 Electrical connectors 32

4.2.4 Testing 33

4.2.5 Mechanical: Wired electrical connections 34

4.2.6 Miscellaneous 34

4.3 Verification 35

4.3.1 Provisions 35

4.3.2 Documentation 35

5 Electrical power 36

5.1 Functional description 36

5.2 Power subsystem and budgets 36

5.2.1 General 36

5.2.2 Provisions 36

5.3 Failure containment and redundancy 37
5.4 Electrical power interfaces 38
5.5 Power generation 39
5.5.1 Solar cell, coverglass, SCA and PVA qualification 39
5.5.2 Solar array specification and design 39
5.5.3 Solar array power computation 42
5.5.4 Solar array drive mechanisms 44
5.6 Electrochemical Energy Storage 44
5.6.1 Applicability 44
5.6.2 Batteries 45
5.6.3 Battery cell 47
5.6.4 Battery use and storage 47
5.6.5 Battery safety 48
5.7 Power conditioning and control 49
5.7.1 Applicability 49
5.7.2 Spacecraft bus 49
5.7.3 Battery Charge and Discharge Management 53
5.7.4 Bus under-voltage or over-voltage 53
5.7.5 Power converters and regulators 54
5.7.6 Payload interaction 55
5.8 Power distribution and protection 56
5.8.1 General 56
5.8.2 Harness 59
5.9 Safety 60
5.10 High voltage engineering 60
5.11 Verification 61
5.11.1 Provisions 61
5.11.2 <<deleted>> 61

6 Electromagnetic compatibility (EMC) 62

6.1 Overview 62
6.2 Policy 62
6.2.1 Overall EMC programme 62
6.2.2 EMC control plan 62
6.2.3 Electromagnetic compatibility advisory board (EMCAB) 63
6.3 System level 63
6.3.1 Electromagnetic interference safety margin (EMISM) 63
6.3.2 Inter-element EMC and EMC with environment 64

6.3.3 Hazards of electromagnetic radiation 64
6.3.4 Spacecraft charging protection program 65
6.3.5 Intrasystem EMC 66
6.3.6 Radio frequency compatibility 66
6.3.7 Spacecraft DC magnetic field emission 66
6.3.8 Design provisions for EMC control 67
6.3.9 Detailed design requirements 67
6.4 Verification 67
6.4.1 Verification plan and report 67
6.4.2 Safety margin demonstration for critical or EED circuit 68
6.4.3 Detailed verification requirements 68

7 Radio frequency systems 69
7.1 Functional description 69
7.2 Antennas 70
7.2.1 General 70
7.2.2 Antenna structure 71
7.2.3 Antenna interfaces 76
7.2.4 Antennas Verification 77
7.3 RF Power 77
7.3.1 Overview 77
7.3.2 RF Power handling (thermal) 78
7.3.3 Corona or Gas Discharge 78
7.3.4 Qualification for power handling and gas discharge 79
7.4 Passive intermodulation 79
7.4.1 Overview 79
7.4.2 General requirements 79
7.4.3 Identification of potentially critical intermodulation products 79
7.4.4 Verification 80
7.4.5 Qualification for passive intermodulation 80
7.5 Verification 80

8 Pre-tailoring matrix per space product and feature types 81
8.1 Introduction 81
8.2 Use of the inclusive and exclusive requirement categories 82

Annex A (normative) EMC control plan - DRD 125

Annex B (normative) Electromagnetic effects verification plan (EMEVP) - DRD 128

Annex C (normative) Electromagnetic effects verification report (EMEVR) - DRD 131

Annex D (normative) Battery user manual - DRD 133

Bibliography 135

Figures

Figure 5-1: Output impedance mask (Ohm) 51
Figure 5-2: Source and load impedance characterisation 57
Figure 5-3: Thevenin equivalent model 58
Figure 5-4: Norton equivalent model 58

Tables

Table 4-1: List of rigid and non-rigid materials 28
Table 5-1: Parameters for BOL worst and best case power calculations 43
Table 5-2: Additional power parameters for EOL worst and best case calculations. 44
Table 8-1: Definition of pre-tailoring matrix applicability statuses 84
Table 8-2: Definition of features for exclusive requirements 84
Table 8-3: Pre-tailoring matrix per “Space product and feature types" 85