**Space data and information transfer systems - Orbit data messages**

# CONTENTS

Section Page

**1 INTRODUCTION ..... 1-1**

1.1 PURPOSE AND SCOPE ..... 1-1
1.2 APPLICABILITY ..... 1-2
1.3 RATIONALE ..... 1-2
1.4 DOCUMENT STRUCTURE ..... 1-2
1.5 CONVENTIONS AND DEFINITIONS ..... 1-3
1.6 REFERENCES ..... 1-5

**2 OVERVIEW ..... 2-1**

2.1 ORBIT PARAMETER MESSAGE ..... 2-1
2.2 ORBIT MEAN-ELEMENTS MESSAGE ..... 2-1
2.3 ORBIT EPHEMERIS MESSAGE ..... 2-2
2.4 ORBIT COMPREHENSIVE MESSAGE ..... 2-2
2.5 EXCHANGE OF MULTIPLE MESSAGES ..... 2-3
2.6 DEFINITIONS ..... 2-3

**3 ORBIT PARAMETER MESSAGE ..... 3-1**

3.1 GENERAL ..... 3-1
3.2 OPM CONTENT/STRUCTURE ..... 3-2

**4 ORBIT MEAN-ELEMENTS MESSAGE ..... 4-1**

4.1 GENERAL ..... 4-1
4.2 OMM CONTENT/STRUCTURE ..... 4-2

**5 ORBIT EPHEMERIS MESSAGE ..... 5-1**

5.1 GENERAL ..... 5-1
5.2 OEM CONTENT/STRUCTURE ..... 5-1

**6 ORBIT COMPREHENSIVE MESSAGE ..... 6-1**

6.1 GENERAL ..... 6-1
6.2 OCM STRUCTURE AND OVERARCHING REQUIREMENTS ..... 6-2

**7 ORBIT DATA MESSAGE SYNTAX ..... 7-1**

7.1 OVERVIEW ..... 7-1
7.2 GENERAL ..... 7-1

# CONTENTS (continued)


Section Page

7.3 ODM LINES ..... 7-1
7.4 ORBIT DATA MESSAGES IN 'KEYWORD = VALUE NOTATION' (I.E., NON-XML) AND ORDER OF ASSIGNMENT STATEMENTS ..... 7-2
7.5 VALUES ..... 7-3
7.6 OCM VECTOR DATA TYPE ..... 7-4
7.7 UNITS IN THE ORBIT DATA MESSAGES ..... 7-5
7.8 COMMENTS IN THE ORBIT DATA MESSAGES ..... 7-6
7.9 ORBIT DATA MESSAGE KEYWORDS ..... 7-8
7.10 VALIDATION AND INGEST OF KVN CONTENT VIA REGULAR EXPRESSIONS (OR 'REGEX') ..... 7-9

**8 CONSTRUCTING AN ODM/XML INSTANCE ..... 8-1**

8.1 OVERVIEW ..... 8-1
8.2 XML VERSION ..... 8-2
8.3 BEGINNING THE INSTANTIATION: ROOT ELEMENT TAG ..... 8-2
8.4 THE STANDARD ODM/XML HEADER SECTION ..... 8-3
8.5 THE ODM/XML BODY SECTION ..... 8-4
8.6 THE ODM/XML METADATA SECTION ..... 8-4
8.7 THE ODM/XML DATA SECTION ..... 8-4
8.8 CREATING AN OPM INSTANTIATION ..... 8-5
8.9 CREATING AN OMM INSTANTIATION ..... 8-6
8.10 CREATING AN OEM INSTANTIATION ..... 8-8
8.11 CREATING AN OCM INSTANTIATION ..... 8-10
8.12 CREATING A COMBINED INSTANTIATION ..... 8-13
8.13 SPECIAL SYNTAX RULES FOR ODM/XML ..... 8-16

**ANNEX A IMPLEMENTATION CONFORMANCE STATEMENT PROFORMA (NORMATIVE) ..... A-1**
**ANNEX B VALUES FOR SELECTED KEYWORDS (NORMATIVE) ..... B-1**
**ANNEX C SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) ..... C-1**
**ANNEX D ABBREVIATIONS AND ACRONYMS (INFORMATIVE) ..... D-1**
**ANNEX E RATIONALE FOR THIS STANDARD (INFORMATIVE) ..... E-1**
**ANNEX F TECHNICAL MATERIAL AND CONVENTIONS FOR ODM DATA (INFORMATIVE) ..... F-1**
**ANNEX G ODM EXAMPLES (INFORMATIVE) ..... G-1**
**ANNEX H INFORMATIVE REFERENCES (INFORMATIVE) ..... H-1**
**ANNEX I ITEMS FOR AN INTERFACE CONTROL DOCUMENT (INFORMATIVE) ..... I-1**
**ANNEX J CHANGES VERSUS PREVIOUS VERSION (INFORMATIVE) ..... J-1**

# CONTENTS (continued)


Figure Page

6-1 LTM Covariance Element Ordering following Time Tag ..... 6-28
6-2 UTM Covariance Element Ordering following Time Tag ..... 6-28
6-3 Full Covariance Element Ordering following Time Tag ..... 6-28
6-4 LTM Covariance/Correlation Element Ordering following Time Tag ..... 6-29
6-5 UTM Covariance/Correlation Element Ordering following Time Tag ..... 6-29
8-1 ODM/XML Basic Structure ..... 8-1
8-2 Comparison of Single Message OPM with NDM Combined Instantiation ..... 8-14
8-3 NDM Combined Instantiation Showing Mix of ODMs and Use of Attributes ..... 8-15
F-1 Depiction of Optimally Enclosing Box and Definitions of MAX, INT, and MIN Orientation Vectors Relative to OEB Parent Frame ..... F-2
F-2 Depiction of Optical Viewing CATS Angle Geometry ..... F-6
F-3 Diagram of Time-based Duty Cycle (DC_TYPE = 'TIME') ..... F-7
F-4 Diagram of a Rotating Spacecraft Body's Progression through an Inertial Clock Angle-based Duty Cycle (DC_TYPE = 'TIME_AND_ANGLE') ..... F-7
F-5 Regex Pattern for CCSDS Timecode ..... F-10
F-6 Regex Pattern Matching Sequence for CCSDS Timecode ..... F-11
F-7 Regex for a Non-Decimal String ..... F-12
F-8 Regex for Free-Text String ..... F-12
F-9 Regex for String Containing Numerical Value with Optional Units ..... F-12
F-10 Regex for String Containing Numerical Value with Optional Units ..... F-13
G-1 Simple OPM File Example ..... G-1
G-2 OPM File Example with Optional Keplerian Elements and Two Maneuvers ..... G-2
G-3 File Example with Covariance Matrix ..... G-3
G-4 OPM File Example with Optional Keplerian Elements, Covariance Matrix, and a User-defined Parameter ..... G-4
G-5 OPM File Example in XML Format ..... G-5
G-6 Example Two Line Element Set ..... G-6
G-7 OMM File Example without Covariance Matrix ..... G-6
G-8 OMM File Example with Covariance Matrix ..... G-7
G-9 OMM with Units and a User-defined Parameter ..... G-8
G-10 OMM File Example in XML Format ..... G-9
G-11 OEM Example with No Acceleration, No Covariance ..... G-10
G-12 OEM Example with Optional Accelerations ..... G-11
G-13 OEM Example with Optional Covariance Matrices ..... G-12
G-14 OEM File Example in XML Format ..... G-14
G-15 Simple/Succinct OCM Example with Only Cartesian PVA Ephemeris ..... G-15
G-16 OCM Example with Space Object Characteristics and Perturbations ..... G-17
G-17 OCM Example with Deployed Objects and Low-level Thrusting Maneuver during Deployment to Make 'String-of-Pearls' Deployment ..... G-17
G-18 OCM Example with Multiple Orbit Time Histories, a Maneuver, OD, Cartesian, and Keplerian Ephemeris ..... G-19
G-19 OCM Example with Covariance Matrix Time Histories in Two Element Set Types ..... G-20

# CONTENTS (continued)

Figure Page

G-20 OCM Example in XML Format ..... G-21
G-21 Aggregating Multiple ODMs into a Single NDM File ..... G-22
G-22 Aggregating OPM, OMM, OEM, and OCM in a Single Navigation Data Message XML ..... G-25

Table

3-1 OPM Header ..... 3-3
3-2 OPM Metadata ..... 3-4
3-3 OPM Data ..... 3-6
4-1 OMM Header ..... 4-3
4-2 OMM Metadata ..... 4-4
4-3 OMM Data ..... 4-5
5-1 OEM File Layout Specifications ..... 5-2
5-2 OEM Header ..... 5-3
5-3 OEM Metadata ..... 5-4
5-4 OEM Covariance Keywords ..... 5-8
6-1 OCM File Layout and Ordering Specification ..... 6-3
6-2 OCM Header ..... 6-5
6-3 OCM Metadata ..... 6-6
6-4 OCM Data: Trajectory State Time History ..... 6-14
6-5 OCM Data: Space Object Physical Characteristics ..... 6-21
6-6 OCM Data: Covariance Time History ..... 6-31
6-7 OCM Data: Maneuver Specification ..... 6-37
6-8 OCM Data: Selectable Propulsive (i.e., Non-Deployment) Maneuver Fields in the Maneuver Time History Data ..... 6-45
6-9 OCM Data: Selectable Deployment Fields in the Maneuver Time History Data ..... 6-46
6-10 OCM Data: Perturbations Specification ..... 6-48
6-11 OCM Data: Orbit Determination Data ..... 6-53
6-12 OCM Data: User-Defined Parameters ..... 6-56
8-1 ODM/XML Root Element Tags ..... 8-2
8-2 Examples of Units in OPM/XML ..... 8-5
8-3 OPM/XML Tag Delimiters ..... 8-6
8-4 Examples of Units in OMM/XML ..... 8-7
8-5 OMM/XML Tag Delimiters ..... 8-8
8-6 Examples of Units in OEM/XML ..... 8-9
8-7 OEM/XML Tag Delimiters ..... 8-10
8-8 Examples of Units in OCM/XML ..... 8-11
8-9 OCM/XML Tag Delimiters ..... 8-12
E-1 Services Available with Orbit Data Messages ..... E-5
F-1 Space Surveillance Observation Product Description ..... F-16