

ISO 14303:2026-08 (E)

Space systems - Launch-vehicle-to-spacecraft interfaces

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Mechanical interfaces	2
5.1 General	2
5.2 Mechanical configurations	2
5.3 Spacecraft (SC) characteristics	3
5.3.1 Spacecraft (SC) fundamental natural frequency	3
5.3.2 Spacecraft (SC) mass properties	3
5.4 Usable volume	3
5.5 Payload adapter (PLA) interface	3
5.5.1 General	3
5.5.2 Launch vehicle (LV)-supplied payload adapter (PLA)	3
5.5.3 Spacecraft (SC)-supplied payload adapter (PLA)	4
5.5.4 Separation actuators	4
5.6 Umbilical connectors and microswitches	4
5.7 Fluid connections	5
5.8 Encapsulated spacecraft (SC) access	5
6 Electrical interfaces	5
6.1 General	5
6.2 Umbilical connectors	5
6.3 Umbilical links	6
6.4 Electrical commands dedicated to spacecraft (SC)	6
6.4.1 General	6
6.4.2 Pyrotechnic commands	6
6.4.3 Dry loop command	7
6.4.4 launch vehicle (LV)-generated spacecraft (SC) electrical commands	7
6.5 Separation status transmission	7
6.6 In-flight telemetry	8
6.7 Power supply	8
6.8 Earth potential (ground) continuity	8
7 Radio frequency (RF)/electromagnetic interface	8
7.1 General	8
7.2 Radio frequency (RF) telemetry and command link	8
7.3 Launch vehicle (LV)-generated electromagnetic environment	9
7.4 Spacecraft (SC)-generated electromagnetic environment	9
8 Mission performance	9
8.1 General	9
8.2 Geosynchronous transfer orbit (GTO)	9
8.2.1 Performance	9

8.2.2	Launch windows	10
8.2.3	Launch vehicle (LV) injection accuracies	10
8.3	Elliptical orbits	10
8.3.1	Performance	10
8.3.2	Launch vehicle (LV) injection accuracies	11
8.3.3	Launch windows	11
8.4	Sun synchronous orbits (SSOs)	11
8.4.1	Performance	11
8.4.2	Launch vehicle (LV) injection accuracies	11
8.4.3	Launch windows	11
8.5	Low Earth orbit (LEO) missions	11
8.5.1	Performance	11
8.5.2	Launch vehicle (LV) injection accuracy	11
8.5.3	Launch windows	12
8.6	Escape missions	12
8.6.1	Performance	12
8.6.2	Launch vehicle (LV) injection accuracy	12
8.6.3	Launch windows	12
8.7	Circular Earth orbit missions	12
8.7.1	Performance	12
8.7.2	Launch vehicle (LV) injection accuracy	12
8.7.3	Launch windows	12
8.8	Spacecraft orientation and separation	13
8.8.1	General	13
8.8.2	Orientation performance	13
9	Induced environment and load limitations	13
9.1	General	13
9.2	Mechanical environment	13
9.2.1	General	13
9.2.2	Quasi-static flight limit loads	13
9.2.3	Low frequency longitudinal vibration	14
9.2.4	Low frequency lateral vibration	14
9.2.5	Spacecraft (SC) centre of gravity location	14
9.2.6	Random vibrations	14
9.2.7	Acoustic noise	14
9.2.8	Shock	14
9.2.9	Line load limitations	14
9.3	Thermal environment	14
9.3.1	General	14
9.3.2	Air conditioning system	15
9.3.3	In-flight aerothermal flux	15
9.3.4	Aerothermal flux at fairing jettisoning	15
9.3.5	Thermal flux from stage separation rockets	15
9.4	Static pressure	15
9.5	Contamination and cleanliness	15
9.5.1	Contamination on spacecraft (SC) (if required)	15
9.5.2	Air cleanliness	15
9.6	Radio and electromagnetic environment	16
9.6.1	Launch vehicle (LV) generated	16
9.6.2	Spacecraft (SC)-generated	16
9.6.3	Launch-range-generated	16
10	Verification analysis and documentation	16
10.1	Verification tasks	16
10.2	Verification analysis method	16
10.3	Verification analysis phases	17
10.3.1	Feasibility analyses	17
10.3.2	Preliminary analyses	17
10.3.3	Final analyses	17
10.4	Input data for analyses	17
10.5	Description of verification analyses	17

10.5.1	General	17
10.5.2	Trajectory and performance analysis	18
10.5.3	Launch window analysis	18
10.5.4	Pointing, separation and spacing analysis	18
10.5.5	Coupled loads analysis	18
10.5.6	Clearance analysis	18
10.5.7	Thermal analysis	18
10.5.8	Radio frequency link analysis	19
10.5.9	Electromagnetic compatibility and interference analysis	19
10.5.10	Contamination analysis -- Optional	19
10.6	Safety	19
10.7	Launch readiness assessment	19
10.8	Post launch assessment	19
10.9	Documentation	19
10.9.1	Spacecraft (SC) to launch vehicle (LV) interface requirements	19
10.9.2	Verification plan for launch vehicle (LV)-spacecraft (SC) compatibility	20
10.9.3	Interface control document (ICD)	20
11	Verification tests	20
11.1	General	20
11.2	Vibration test, static and dynamic loads, acoustic tests	20
11.2.1	General	20
11.2.2	Static load test	20
11.2.3	Modal survey	21
11.2.4	Sinusoidal vibration test	21
11.2.5	Acoustic test	21
11.2.6	Random vibration test	21
11.3	Pyro-shock and separation test	21
11.4	Functional interface tests	21
11.4.1	General	21
11.4.2	Electrical interface test	21
11.4.3	Mechanical compatibility test	21
11.4.4	Match mate verification	22
11.4.5	Umbilical connector pull-out test -- Optional	22
11.5	Launch site interface test	22
11.5.1	General	22
11.5.2	End-to-end electrical test	22
11.5.3	Radio frequency (RF) link test	22
12	Spacecraft launch preparation operations	22
12.1	General	22
12.2	Preparation and checkout	22
12.3	Hazardous operations	23
12.3.1	General	23
12.3.2	Pyrotechnic item preparation	23
12.3.3	Preparation of solid propellant motor (SPM)	23
12.3.4	Operations on spacecraft	23
12.3.5	Final spacecraft assembly and checks	24
12.4	Combined operations for spacecraft (SC) encapsulation and mating with launch vehicle (LV)	24
Annex A (informative)	Usable envelopes	25
Annex B (informative)	Physical interface presentations	30
Annex C (informative)	Performance presentations	33
Annex D (informative)	Environment presentations	38
Annex E (informative)	Verification	50
Bibliography		52