

DIN EN 14607-5-1:2006-12 (E)

Space engineering - Mechanical - Part 5-1: Liquid and electric propulsion for spacecraft; English version EN 14607-5-1:2004

Inhalt	Seite
Foreword	5
1 Scope	6
2 Normative references	6
3 Terms and definitions, abbreviated terms and symbols	7
3.1 Terms and definitions	7
3.2 Definition of masses	11
3.3 Abbreviated terms	13
3.4 Symbols	14
4 Propulsion engineering activities	15
4.1 Overview	15
4.1.1 Characteristics of propulsion systems	15
4.1.2 Structure of requirements	15
4.2 Generic	16
4.2.1 Introduction	16
4.2.2 General	16
4.2.3 Standards	16
4.2.4 Quality system	16
4.2.5 Design	16
4.2.6 Materials	16
4.2.7 Maximum expected operating pressure (MEOP)	16
4.2.8 Documentation	17
5 Liquid propulsion systems for spacecraft	17
5.1 General	17
5.2 Functional	18
5.2.1 Mission	18
5.2.2 Functions	18
5.3 Constraints	19
5.3.1 Accelerations	19
5.3.2 Pressure vessels and pressurized components	19
5.3.3 Induced and environmental temperatures	19
5.3.4 Thruster surroundings	19
5.3.5 Thruster arrangement	19
5.4 Interfaces	19
5.5 Configurational	20
5.5.1 General	20
5.5.2 Selection	21
5.5.3 Sizing	22
5.5.4 Development	23
5.5.5 External contaminants	23
5.5.6 Internal contaminants	23
5.5.7 Explosion risk	24
5.5.8 Components guidelines	24
5.5.9 Mass imbalance	25
5.5.10 Ground support equipment (GSE)	26
5.5.11 Filters	26
5.5.12 Draining	27
5.5.13 Blow-down ratio	27
5.5.14 Pyrotechnic devices	27

5.5.15	Pressure vessels.....	27
5.5.16	Propellant tanks.....	27
5.5.17	Thrusters.....	28
5.5.18	Thrust-vector control (TVC).....	29
5.5.19	Monitoring.....	30
5.6	Verification.....	30
5.6.1	General.....	30
5.6.2	Verification by analysis.....	30
5.6.3	Verification by test.....	33
5.6.4	Data exchange for models.....	36
5.7	Quality factors.....	36
5.7.1	Reliability.....	36
5.7.2	Production and manufacturing process.....	37
5.8	Operation and disposal.....	37
5.8.1	General.....	37
5.8.2	Operations on ground.....	37
5.8.3	Tank operation.....	37
5.8.4	Disposal.....	38
5.9	Support.....	38
6	Electric propulsion systems for spacecraft.....	38
6.1	General.....	38
6.2	Functional.....	39
6.2.1	Mission.....	39
6.2.2	Functions.....	39
6.2.3	Performances.....	40
6.3	Constraints.....	41
6.3.1	General.....	41
6.3.2	High frequency current loops.....	41
6.3.3	Plume effects.....	41
6.3.4	Thermal fluxes.....	42
6.3.5	Electromagnetic compatibility.....	42
6.3.6	Electric charging.....	42
6.4	Interfaces.....	42
6.4.1	Interface with the spacecraft.....	42
6.4.2	Interface with the power bus.....	42
6.5	Configurational.....	43
6.5.1	General.....	43
6.5.2	Selection.....	44
6.5.3	Sizing.....	45
6.5.4	Design development.....	45
6.5.5	Components guidelines.....	46
6.5.6	Thrusters.....	46
6.5.7	Thrust-vector control.....	48
6.5.8	Propellant management assembly.....	48
6.5.9	Propellant tanks.....	49
6.5.10	Blow-down ratio.....	50
6.5.11	Pressure vessels.....	50
6.5.12	Power supply, control and processing subsystem.....	50
6.5.13	Monitoring.....	51
6.5.14	Pyrotechnic devices.....	51
6.5.15	Ground support equipment (GSE).....	51
6.5.16	Contaminants.....	52
6.5.17	Electrical design.....	52
6.6	Physical.....	53
6.6.1	Materials.....	53
6.6.2	Mass imbalance.....	53
6.7	Verification.....	54
6.7.1	General.....	54
6.7.2	Verification by analysis.....	54
6.7.3	Verification by test.....	55
6.7.4	Data exchange for models.....	56

6.8	Quality factors	57
6.8.1	Reliability.....	57
6.8.2	Production and manufacturing	57
6.9	Operation and disposal.....	57
6.10	Support.....	57
Annex A (informative) Standards for propellants, pressurants, simulants and cleaning agents.....		58
A.1	Rational	58
A.2	Propellants	58
A.2.1	Storable propellants.....	58
A.2.2	Solid propellants	58
A.2.3	Liquid.....	58
A.2.4	Gas.....	59
A.3	Pressurants.....	59
A.4	Simulants	60
A.5	Cleaning agents.....	60
Bibliography.....		61