

DIN EN 17057:2018-03 (E)

Automotive fuels and fat and oil derivatives - Determination of saturated monoglycerides content in Fatty Acid Methyl Esters (FAME) - Method by GC-FID

| Contents | | Page |
|---|--|-------------|
| European foreword | | 3 |
| 1 | Scope | 4 |
| 2 | Normative references | 4 |
| 3 | Principle | 4 |
| 4 | Reagents and materials | 4 |
| 5 | Apparatus | 5 |
| 6 | Preparation of solutions | 5 |
| 6.1 | Glyceryl mononadecanoate stock solution, 2,5 mg/ml | 5 |
| 6.2 | Reference solution | 6 |
| 7 | Sampling | 6 |
| 8 | Procedure | 6 |
| 8.1 | Operating conditions | 6 |
| 8.2 | Column evaluation | 7 |
| 8.3 | Analysis of the reference solution | 7 |
| 8.4 | Preparation and analysis of the samples | 8 |
| 8.5 | Identification | 8 |
| 8.6 | Calibration | 8 |
| 9 | Determination of results | 8 |
| 9.1 | Integration of the peaks | 8 |
| 9.2 | Calculation | 9 |
| 10 | Expression of results | 9 |
| 11 | Precision | 9 |
| 11.1 | General | 9 |
| 11.2 | Repeatability, r | 10 |
| 11.3 | Reproducibility, R | 10 |
| 12 | Test report | 10 |
| Annex A (informative) Saturated monoglyceride standards | | 11 |
| Annex B (informative) Calculation of column performance | | 12 |
| Annex C (informative) Example chromatograms | | 14 |
| Bibliography | | 15 |