

ISO 21079-3:2008-04 (E)

**Chemical analysis of refractories containing alumina, zirconia, and silica -
Refractories containing 5 % to 45 % of ZrO₂ (alternative to the X-ray
fluorescence method) - Part 3: Flame atomic absorption spectrophotometry (FAAS)
and inductively coupled plasma emission spectrometry (ICP-AES)**

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Instrumental methods using ICP-AES | 1 |
| 3.1 | Determination of residual silica in solution by ICP-AES | 1 |
| 3.2 | Determination of silicon(IV) oxide, aluminium oxide, iron(III) oxide, titanium(IV) oxide, calcium oxide, magnesium oxide, chromium(III) oxide and hafnium oxide using stock solutions (S1), (S'1) or (S''1) by ICP-AES | 3 |
| 3.3 | Determination of calcium oxide, magnesium oxide, sodium oxide and potassium oxide using stock solutions (S4) by ICP-AES | 7 |
| 4 | Instrumental methods using Flame Atomic Absorption Spectrometry (FAAS) | 8 |
| 4.1 | Determination of calcium oxide, magnesium oxide, sodium oxide and potassium oxide using stock solutions (S3) by FAAS | 8 |
| 4.2 | Determination of chromium(III) oxide by FAAS spectrometry | 10 |
| 5 | Calculation and expression of test results | 12 |
| 6 | Test report | 12 |
| Bibliography | | 13 |