DIN EN 1744-1:2010-04 (Eng lisch)

Tests for chemical properties of aggregates - Part 1: Chemical analysis

Contents

Page

Foreword 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 9

4 Reagents 9
4.1 General 9
4.2 Reagents for determination of water-soluble chloride salts using the Volhard method (Clause 7) 10
4.3 Reagents for determination of water-soluble chloride salts by potentiometry (Clause 8) 11
4.4 Reagent for factory production control determination of water-soluble chloride salts using the Mohr method (Clause 9) 11
4.5 Reagents for determination of water-soluble sulfates (Clause 10) 11
4.6 Reagents for determination of total sulfur content (Clause 11) 11
4.7 Reagents for determination of acid soluble sulfide content (Clause 13) 11
4.8 Reagents for determination of lightweight contaminators (see 14.2) 13
4.9 Reagents for determination of potential presence of humus (see 15.1) 13
4.10 Reagents for determination of fulvo acid content (see 15.2) 13
4.11 Reagents for determination of free lime by complexometry (see 18.2) 14
4.12 Reagent for determination of free lime by conductometry (see 18.3) 14
4.13 Reagents for determination of free lime by acidimetry (see 18.4) 14
4.14 Reagent for the determination of the expansion of steel slag (see 19.3) 15
4.14.1 Silicone oil 15
4.14.2 Hydrochloric acid diluted (1 + 5) 15

5 Apparatus 15
5.1 General requirements 15
5.2 Apparatus for general purposes 15
5.3 Additional apparatus required for determination of water-soluble chloride salts following Volhard (see Clause 7) 16
5.4 Additional apparatus required for potentiometric determination of water-soluble chloride salts (see Clause 8) 16
5.5 Additional apparatus required for factory production control determination of water soluble chloride salts following Mohr (see Clause 9) 17
5.6 Additional apparatus required for determination of water-soluble sulfates (see Clause 10) 17
5.7 Additional apparatus required for the determination of total sulfur content (see Clause 11) 17
5.8 Additional apparatus required for determination of sulfide content (see Clause 13) 17
5.9 Additional apparatus required for determination of lightweight contaminators (see 14.2) 18
5.10 Additional apparatus required for determination of the potential presence of humus (see 15.1) 18
5.11 Additional apparatus required for determination of fulvo acid content (see 15.2) 19
5.12 Additional apparatus required for determination of organic contaminators by mortar method (see 15.3) 19
5.13 Additional apparatus required for determination of free lime by complexometry (see 18.2) 19
5.14 Additional apparatus required for determination of free lime by conductometry (see 18.3) 19

5.15 Additional apparatus required for acidimetric determination of free lime (see 18.4) 22
5.16 Additional apparatus required for the determination of CaO in steel slag by X-ray diffraction (see 18.5) 22
5.17 Additional apparatus required for the determination of dicalcium silicate disintegration of air-cooled blast-furnace slag (see 19.1) 23
5.18 Additional apparatus required for determination of the volume expansion of steel slag (see 19.3) 23

6 General requirements for testing 26
6.1 Number of tests 26
6.2 Repeatability and reproducibility 26
6.3 Expression of mass, volume, factors and results 26
6.4 Drying of materials 26
6.5 Ignitions of precipitates 27
6.6 Check for the absence of chloride ions (silver nitrate test) 27

7 Determination of water-soluble chloride salts using the Volhard method (Reference method) 27
7.1 Principle 27
7.2 Sampling 27
7.3 Preparation of test specimens 27
7.4 Preparation of extracts 28
7.5 Procedure for the determination of the chloride content of the extracts 28
7.6 Calculation and expression of results 29

8 Determination of water-soluble chloride salts by potentiometry (Alternative method) 29
8.1 Principle 29
8.2 Sampling, preparation of test specimens and extracts 29
8.3 Procedure for the determination of the chloride content of the extracts 29
8.4 Calculation and expression of results 30

9 Determination of water-soluble chloride salts using the Mohr method (Alternative method) 30
9.1 General 30
9.2 Principle 30
9.3 Sampling 30
9.4 Preparation of test portion 31
9.5 Preparation of extracts 31
9.6 Procedure for the determination of the chloride content of the extracts 31
9.7 Calculation and expression of results 31

10 Determination of water-soluble sulfates 31
10.1 Determination of water soluble sulfates in natural and manufactured aggregates 31
10.1.1 Principle 31
10.1.2 Sampling 32
10.1.3 Preparation of test portion 32
10.1.4 Preparation of extracts 32
10.1.5 Procedure for the determination of the sulfate content of the extracts 32
10.1.6 Calculation and expression of results 33
10.2 Determination of water soluble sulfates in recycled aggregates 33
10.2.1 Principle 33
10.2.2 Sampling 33
10.2.3 Preparation of test specimen 34
10.2.4 Preparation of extracts 34
10.2.5 Procedure for the determination of the sulfate content of the extracts, using a spectrophotometer 34

11 Determination of total sulfur content 35
11.1 Determination of total sulfur content by acid digestion (Reference method) 35
11.1.1 Principle 35
11.1.2 Sampling 36
11.1.3 Preparation of test portion 36

11.1.4 Procedure 36
11.1.5 Calculation and expression of results 36
11.2 Determination of total sulfur content by high temperature combustion (Alternative method) 37
11.2.1 Principle 37
11.2.2 Sampling 37
11.2.3 Preparation of test portion 37
11.2.4 Procedure 37
11.2.5 Calculation and expression of results 37

12 Determination of acid soluble sulfates 37
12.1 Principle 37
12.2 Sampling 38
12.3 Preparation of test portion 38
12.4 Procedure 38
12.5 Calculation and expression of results 38

13 Determination of acid soluble sulfides 39
13.1 Principle 39
13.2 Sampling 39
13.3 Preparation of test portion 39
13.4 Procedure 39
13.5 Calculation and expression of results 40

14 Determination of components affecting the surface finish of concrete 40
14.1 Examination for the presence of reactive iron sulfide particles 40
14.1.1 General 40
14.1.2 Sampling 40
14.1.3 Procedure 41
14.2 Determination of lightweight contaminators 41
14.2.1 General 41
14.2.2 Principle 41
14.2.3 Procedure 41
14.2.4 Calculation and expression of results 42

15 Determination of organic components affecting the setting and the hardening of cement 42
15.1 Determination of potential presence of humus 42
15.1.1 Principle 42
15.1.2 Sampling 42
15.1.3 Preparation of test portion 42
15.1.4 Procedure 43
15.1.5 Expression of results 43
15.2 Determination of fulvo acid content 43
15.2.1 Principle 43
15.2.2 Sampling 43
15.2.3 Preparation of test portion 43
15.2.4 Procedure 43
15.2.5 Expression of results 44
15.3 Determination of organic contaminators by mortar method 44
15.3.1 Principle 44
15.3.2 Sampling 44
15.3.3 Preparation of test portions 44
15.3.4 Preliminary treatment of test portions 44
15.3.5 Constituents 45
15.3.6 Mix quantities 45
15.3.7 Mixing procedure 45
15.3.8 Measurement of stiffening time 46
15.3.9 Compressive strength of hardened mortar 46
15.3.10 Calculation and expression of results 46

16 Determination of water solubility 47
16.1 Determination of water solubility of aggregate, excluding filler 47

16.1.1 Principle 47
16.1.2 Sampling 47
16.1.3 Preparation of test portion 47
16.1.4 Extraction of soluble components 47
16.1.5 Calculation and expression of results 47
16.2 Determination of water solubility of filler 48
16.2.1 Principle 48
16.2.2 Sampling 48
16.2.3 Preparation of test portion 48
16.2.4 Extraction of soluble component 48
16.2.5 Calculation and expression of results 48

17 Determination of loss on ignition 49
17.1 Principle 49
17.2 Sampling and preparation of test portion 49
17.3 Procedure for the determination of loss on ignition 49
17.4 Calculation and expression of results 49

18 Determination of free lime in steel slag 50
18.1 General 50
18.2 Determination of free lime by complexometry (Reference method) 50
18.2.1 Principle 50
18.2.2 Sampling and preparation of test portion 50
18.2.3 Procedure 50
18.2.4 Calculation and expression of results 51
18.3 Determination of free lime by conductometry (Alternative method) 51
18.3.1 Principle 51
18.3.2 Sampling and preparation of test portion 51
18.3.3 Procedure 51
18.3.4 Evaluation and expression of results 51
18.4 Determination of free lime by acidimetry (Alternative method) 51
18.4.1 Principle 51
18.4.2 Sampling and preparation of test portion 52
18.4.3 Procedure 52
18.4.4 Calculation and expression of results 52
18.5 Determination of CaO in steel slag by X-ray diffraction 52
18.5.1 Principle 52
18.5.2 Procedure of analysis 53
18.5.3 Calibration procedure 54
18.5.4 Analytical results 55

19 Determination of unsoundness of blast-furnace and steel slags 55
19.1 Determination of dicalcium silicate disintegration of air-cooled blast-furnace slag 55
19.1.1 General 55
19.1.2 Principle 55
19.1.3 Sampling 55
19.1.4 Preparation of test portion 55
19.1.5 Procedure 55
19.1.6 Expression of results 55
19.2 Determination of iron disintegration of air-cooled blast-furnace slag 56
19.2.1 General 56
19.2.2 Principle 56
19.2.3 Sampling 56
19.2.4 Procedure 56
19.2.5 Expression of results 56
19.3 Determination of the expansion of steel slag 56
19.3.1 General 56
19.3.2 Principle 56
19.3.3 Sampling 56
19.3.4 Preparation and compaction of the specimens 56
19.3.5 Steam test procedure 58
19.3.6 Calculation and expression of results 58

Annex A (informative) Precision 60

A.1 Symbols 60
A.2 Determination of water-soluble chloride salts using the Volhard method (Reference method) (See Clause 7) 60
A.3 Determination of water-soluble chloride salts by potentiometry (Alternative method) (See Clause 8) 60
A.4 Determination of water-soluble sulfates in recycled aggregate (See 10.2) 60
A.5 Determination of total sulfur content by acid digestion (Reference method) (See 11.1) 60
A.6 Determination of acid soluble sulfates (See Clause 12) 61

Bibliography 62