

DIN EN 1744-1:2010-04 (Eng lisch)

Tests for chemical properties of aggregates - Part 1: Chemical analysis

Contents		Page
Foreword		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Reagents	9
4.1	General	9
4.2	Reagents for determination of water-soluble chloride salts using the Volhard method (Clause 7)	10
4.3	Reagents for determination of water-soluble chloride salts by potentiometry (Clause 8) ...	11
4.4	Reagent for factory production control determination of water-soluble chloride salts using the Mohr method (Clause 9)	11
4.5	Reagents for determination of water-soluble sulfates (Clause 10)	11
4.6	Reagents for determination of total sulfur content (Clause 11)	11
4.7	Reagents for determination of acid soluble sulfide content (Clause 13)	11
4.8	Reagents for determination of lightweight contaminators (see 14.2)	13
4.9	Reagents for determination of potential presence of humus (see 15.1)	13
4.10	Reagents for determination of fulvo acid content (see 15.2)	13
4.11	Reagents for determination of free lime by complexometry (see 18.2)	14
4.12	Reagent for determination of free lime by conductometry (see 18.3)	14
4.13	Reagents for determination of free lime by acidimetry (see 18.4)	14
4.14	Reagent for the determination of the expansion of steel slag (see 19.3)	15
4.14.1	Silicone oil	15
4.14.2	Hydrochloric acid diluted (1 + 5)	15
5	Apparatus	15
5.1	General requirements	15
5.2	Apparatus for general purposes	15
5.3	Additional apparatus required for determination of water-soluble chloride salts following Volhard (see Clause 7)	16
5.4	Additional apparatus required for potentiometric determination of water-soluble chloride salts (see Clause 8)	16
5.5	Additional apparatus required for factory production control determination of water soluble chloride salts following Mohr (see Clause 9)	17
5.6	Additional apparatus required for determination of water-soluble sulfates (see Clause 10)	17
5.7	Additional apparatus required for the determination of total sulfur content (see Clause 11)	17
5.8	Additional apparatus required for determination of sulfide content (see Clause 13)	17
5.9	Additional apparatus required for determination of lightweight contaminators (see 14.2) ..	18
5.10	Additional apparatus required for determination of the potential presence of humus (see 15.1)	18
5.11	Additional apparatus required for determination of fulvo acid content (see 15.2)	19
5.12	Additional apparatus required for determination of organic contaminators by mortar method (see 15.3)	19
5.13	Additional apparatus required for determination of free lime by complexometry (see 18.2)	19
5.14	Additional apparatus required for determination of free lime by conductometry (see 18.3)	19

5.15	Additional apparatus required for acidimetric determination of free lime (see 18.4)	22
5.16	Additional apparatus required for the determination of CaO in steel slag by X-ray diffraction (see 18.5)	22
5.17	Additional apparatus required for the determination of dicalcium silicate disintegration of air-cooled blast-furnace slag (see 19.1)	23
5.18	Additional apparatus required for determination of the volume expansion of steel slag (see 19.3)	23
6	General requirements for testing	26
6.1	Number of tests	26
6.2	Repeatability and reproducibility	26
6.3	Expression of mass, volume, factors and results	26
6.4	Drying of materials	26
6.5	Ignitions of precipitates	27
6.6	Check for the absence of chloride ions (silver nitrate test)	27
7	Determination of water-soluble chloride salts using the Volhard method (Reference method)	27
7.1	Principle	27
7.2	Sampling	27
7.3	Preparation of test specimens	27
7.4	Preparation of extracts	28
7.5	Procedure for the determination of the chloride content of the extracts	28
7.6	Calculation and expression of results	29
8	Determination of water-soluble chloride salts by potentiometry (Alternative method)	29
8.1	Principle	29
8.2	Sampling, preparation of test specimens and extracts	29
8.3	Procedure for the determination of the chloride content of the extracts	29
8.4	Calculation and expression of results	30
9	Determination of water-soluble chloride salts using the Mohr method (Alternative method)	30
9.1	General	30
9.2	Principle	30
9.3	Sampling	30
9.4	Preparation of test portion	31
9.5	Preparation of extracts	31
9.6	Procedure for the determination of the chloride content of the extracts	31
9.7	Calculation and expression of results	31
10	Determination of water-soluble sulfates	31
10.1	Determination of water soluble sulfates in natural and manufactured aggregates	31
10.1.1	Principle	31
10.1.2	Sampling	32
10.1.3	Preparation of test portion	32
10.1.4	Preparation of extracts	32
10.1.5	Procedure for the determination of the sulfate content of the extracts	32
10.1.6	Calculation and expression of results	33
10.2	Determination of water soluble sulfates in recycled aggregates	33
10.2.1	Principle	33
10.2.2	Sampling	33
10.2.3	Preparation of test specimen	34
10.2.4	Preparation of extracts	34
10.2.5	Procedure for the determination of the sulfate content of the extracts, using a spectrophotometer	34
11	Determination of total sulfur content	35
11.1	Determination of total sulfur content by acid digestion (Reference method)	35
11.1.1	Principle	35
11.1.2	Sampling	36
11.1.3	Preparation of test portion	36

11.1.4	Procedure	36
11.1.5	Calculation and expression of results	36
11.2	Determination of total sulfur content by high temperature combustion (Alternative method)	37
11.2.1	Principle	37
11.2.2	Sampling	37
11.2.3	Preparation of test portion	37
11.2.4	Procedure	37
11.2.5	Calculation and expression of results	37
12	Determination of acid soluble sulfates	37
12.1	Principle	37
12.2	Sampling	38
12.3	Preparation of test portion	38
12.4	Procedure	38
12.5	Calculation and expression of results	38
13	Determination of acid soluble sulfides	39
13.1	Principle	39
13.2	Sampling	39
13.3	Preparation of test portion	39
13.4	Procedure	39
13.5	Calculation and expression of results	40
14	Determination of components affecting the surface finish of concrete	40
14.1	Examination for the presence of reactive iron sulfide particles	40
14.1.1	General	40
14.1.2	Sampling	40
14.1.3	Procedure	41
14.2	Determination of lightweight contaminators	41
14.2.1	General	41
14.2.2	Principle	41
14.2.3	Procedure	41
14.2.4	Calculation and expression of results	42
15	Determination of organic components affecting the setting and the hardening of cement	42
15.1	Determination of potential presence of humus	42
15.1.1	Principle	42
15.1.2	Sampling	42
15.1.3	Preparation of test portion	42
15.1.4	Procedure	43
15.1.5	Expression of results	43
15.2	Determination of fulvo acid content	43
15.2.1	Principle	43
15.2.2	Sampling	43
15.2.3	Preparation of test portion	43
15.2.4	Procedure	43
15.2.5	Expression of results	44
15.3	Determination of organic contaminators by mortar method	44
15.3.1	Principle	44
15.3.2	Sampling	44
15.3.3	Preparation of test portions	44
15.3.4	Preliminary treatment of test portions	44
15.3.5	Constituents	45
15.3.6	Mix quantities	45
15.3.7	Mixing procedure	45
15.3.8	Measurement of stiffening time	46
15.3.9	Compressive strength of hardened mortar	46
15.3.10	Calculation and expression of results	46
16	Determination of water solubility	47
16.1	Determination of water solubility of aggregate, excluding filler	47

16.1.1	Principle	47
16.1.2	Sampling	47
16.1.3	Preparation of test portion	47
16.1.4	Extraction of soluble components	47
16.1.5	Calculation and expression of results	47
16.2	Determination of water solubility of filler	48
16.2.1	Principle	48
16.2.2	Sampling	48
16.2.3	Preparation of test portion	48
16.2.4	Extraction of soluble component	48
16.2.5	Calculation and expression of results	48
17	Determination of loss on ignition	49
17.1	Principle	49
17.2	Sampling and preparation of test portion	49
17.3	Procedure for the determination of loss on ignition	49
17.4	Calculation and expression of results	49
18	Determination of free lime in steel slag	50
18.1	General	50
18.2	Determination of free lime by complexometry (Reference method)	50
18.2.1	Principle	50
18.2.2	Sampling and preparation of test portion	50
18.2.3	Procedure	50
18.2.4	Calculation and expression of results	51
18.3	Determination of free lime by conductometry (Alternative method)	51
18.3.1	Principle	51
18.3.2	Sampling and preparation of test portion	51
18.3.3	Procedure	51
18.3.4	Evaluation and expression of results	51
18.4	Determination of free lime by acidimetry (Alternative method)	51
18.4.1	Principle	51
18.4.2	Sampling and preparation of test portion	52
18.4.3	Procedure	52
18.4.4	Calculation and expression of results	52
18.5	Determination of CaO in steel slag by X-ray diffraction	52
18.5.1	Principle	52
18.5.2	Procedure of analysis	53
18.5.3	Calibration procedure	54
18.5.4	Analytical results	55
19	Determination of unsoundness of blast-furnace and steel slags	55
19.1	Determination of dicalcium silicate disintegration of air-cooled blast-furnace slag	55
19.1.1	General	55
19.1.2	Principle	55
19.1.3	Sampling	55
19.1.4	Preparation of test portion	55
19.1.5	Procedure	55
19.1.6	Expression of results	55
19.2	Determination of iron disintegration of air-cooled blast-furnace slag	56
19.2.1	General	56
19.2.2	Principle	56
19.2.3	Sampling	56
19.2.4	Procedure	56
19.2.5	Expression of results	56
19.3	Determination of the expansion of steel slag	56
19.3.1	General	56
19.3.2	Principle	56
19.3.3	Sampling	56
19.3.4	Preparation and compaction of the specimens	56
19.3.5	Steam test procedure	58
19.3.6	Calculation and expression of results	58

Annex A (informative) Precision	60
A.1 Symbols	60
A.2 Determination of water-soluble chloride salts using the Volhard method (Reference method) (See Clause 7)	60
A.3 Determination of water-soluble chloride salts by potentiometry (Alternative method) (See Clause 8)	60
A.4 Determination of water-soluble sulfates in recycled aggregate (See 10.2)	60
A.5 Determination of total sulfur content by acid digestion (Reference method) (See 11.1)	60
A.6 Determination of acid soluble sulfates (See Clause 12)	61
Bibliography	62