

ISO/TS 10868:2011-09 (E)

Nanotechnologies - Characterization of single-wall carbon nanotubes using ultraviolet-visible-near infrared (UV-Vis-NIR) absorption spectroscopy

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	1
3.1	Terms and definitions	1
3.2	Abbreviated terms	2
4	Principle	2
4.1	General	2
4.2	UV-Vis-NIR absorption spectroscopy	2
4.3	Optical absorption peaks of SWCNTs in the UV-Vis-NIR region	2
4.4	Relation between SWCNT diameter and optical absorption peaks	3
4.5	Derivation of the purity indicator from optical absorption peak areas	4
4.6	Derivation of ratio of metallic SWCNTs from optical absorption peak areas	5
5	UV-Vis-NIR spectrometer	6
6	Sample preparation method	6
6.1	General	6
6.2	Preparation of D2O dispersion for measurement of mean diameter and the ratio of metallic SWCNTs	6
6.3	Preparation of solid film dispersion for measurement of mean diameter and the ratio of metallic SWCNTs	7
6.4	Preparation of DMF dispersion for determination of the purity indicator	8
7	Optical measurement procedures and conditions	8
8	Data analysis and results interpretations	8
8.1	Data analysis for characterization of SWCNT diameter	8
8.2	Data analysis for determination of the purity indicator	9
8.3	Data analysis for characterization of the ratio of metallic SWCNTs	9
9	Uncertainties	9
10	Test report	10
Annex A (informative)	Case study for derivation of the relation between optical absorption peaks of SWCNTs and their mean diameter	11
A.1	SWCNT samples	11
A.2	Sample preparation	12
A.3	Apparatus and measurement parameters	12
A.4	Results	12
Annex B (informative)	Case study for determination of the purity indicator	16
B.1	An example of purity indicator analysis	16
B.2	A common source of experimental uncertainty -- distorted baseline	17
Bibliography		19