

ISO 4664-1:2011-11 (E)

Rubber, vulcanized or thermoplastic - Determination of dynamic properties - Part 1: General guidance

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 3.1 | Terms applying to any periodic deformation | 1 |
| 3.2 | Terms applying to sinusoidal motion | 4 |
| 3.3 | Other terms applying to periodic motion | 6 |
| 4 | Symbols | 7 |
| 5 | Principles | 9 |
| 5.1 | Viscoelasticity | 9 |
| 5.2 | Use of dynamic test data | 10 |
| 5.3 | Classification of dynamic tests | 10 |
| 5.4 | Factors affecting machine selection | 11 |
| 5.5 | Dynamic motion | 11 |
| 5.6 | Interdependence of frequency and temperature | 14 |
| 6 | Apparatus | 15 |
| 7 | Test conditions and test pieces | 16 |
| 7.1 | Test piece preparation | 16 |
| 7.2 | Test piece dimensions | 16 |
| 7.3 | Number of test pieces | 17 |
| 7.4 | Test conditions | 17 |
| 7.5 | Small-sized test apparatus | 18 |
| 7.6 | Large-sized test apparatus | 19 |
| 7.7 | Dynamic testing using free vibration | 20 |
| 8 | Conditioning | 20 |
| 8.1 | Storage | 20 |
| 8.2 | Temperature | 20 |
| 8.3 | Mechanical conditioning | 20 |
| 9 | Test procedure | 21 |
| 10 | Expression of results | 21 |
| 10.1 | Parameters required | 21 |
| 10.2 | Forced vibration | 21 |
| 10.3 | Free vibration | 23 |
| 10.4 | Stress-strain relationships and shape factors | 23 |
| 11 | Test report | 24 |