

# DIN 25463-2:2014-02 (E)

## Calculation of the decay power in nuclear fuels of light water reactors - Part 2: Mixed-uranium-plutonium oxide (MOX) nuclear fuel for pressurized water reactors

---

| <b>Contents</b>  |  | <b>Page</b> |
|--|--|-------------|
| Foreword .....   |  | 3           |
| Introduction .....   |  | 4           |
| 1  | Scope .....  | 5           |
| 2  | Terms and definitions .....  | 6           |
| 3  | Decay power .....  | 9           |
| 3.1  | General .....  | 9           |
| 3.2  | Power histogram .....  | 9           |
| 3.3  | Calculation instructions .....   | 10          |
| 3.3.1  | General .....  | 10          |
| 3.3.2  | Decay power of the fission products and of their decay products, SP .....  | 11          |
| 3.3.3  | Decay power of the actinides and of nuclides resulting from neutron capture reaction in the fission products, PR ..... | 12          |
| 3.3.4  | Total decay power, PZ .....  | 12          |
| 3.4  | Uncertainty of the results, ZP .....   | 13          |
| Annex A (normative) Linear interpolation of the effective cross-sections ..... |  | 28          |
| A.1  | General .....  | 28          |
| A.2  | Linear interpolation of the effective cross-sections for the fuel properties .....                                     | 29          |
| A.3  | Linear interpolation of the effective cross-sections for the respective burn-up rate .....                             | 30          |
| Annex B (informative) Application example .....                                |  | 31          |
| B.1  | PWR MOX fuel element and power histogram specifications .....  | 31          |
| B.2  | Calculation results .....  | 32          |
| Bibliography .....   |  | 45          |