

# ISO 17293-2:2014-04 (E)

## Surface active agents - Determination of chloroacetic acid (chloroacetate) in surfactants - Part 2: Ionic chromatographic method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Principle .....</b>	<b>1</b>
<b>4</b>	<b>Reagents .....</b>	<b>1</b>
<b>4.1</b>	<b>General .....</b>	<b>1</b>
<b>5</b>	<b>Apparatus .....</b>	<b>2</b>
<b>6</b>	<b>Procedure .....</b>	<b>3</b>
<b>6.1</b>	<b>General .....</b>	<b>3</b>
<b>6.2</b>	<b>Ion chromatographic condition .....</b>	<b>3</b>
<b>6.3</b>	<b>Calibration .....</b>	<b>3</b>
<b>6.4</b>	<b>Sampling and analysis .....</b>	<b>3</b>
<b>7</b>	<b>Results and calculation .....</b>	<b>4</b>
<b>7.1</b>	<b>General .....</b>	<b>4</b>
<b>7.2</b>	<b>Content of monochloroacetic acid .....</b>	<b>4</b>
<b>7.3</b>	<b>Content of dichloroacetic acid .....</b>	<b>4</b>
<b>8</b>	<b>Precision .....</b>	<b>4</b>
<b>8.1</b>	<b>Repeatability limit .....</b>	<b>4</b>
<b>8.2</b>	<b>Reproducible limit .....</b>	<b>5</b>
<b>9</b>	<b>Test report .....</b>	<b>5</b>
<b>Annex A (informative)</b>	<b>Typical chromatograms .....</b>	<b>6</b>