

# ISO 11952:2014-05 (E)

## Surface chemical analysis - Scanning-probe microscopy - Determination of geometric quantities using SPM: Calibration of measuring systems

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Symbols .....	2
5	Characteristics of scanning-probe microscopes .....	4
5.1	Components of a scanning-probe microscope .....	4
5.2	Metrological categories of scanning-probe microscopes .....	5
5.3	Block diagram of a scanning-probe microscope .....	5
5.4	Calibration interval .....	7
6	Preliminary characterization of the measuring system .....	8
6.1	Overview of the instrument characteristics and influencing factors to be investigated .....	8
6.2	Waiting times after interventions in the measuring system (instrument installation, intrinsic effects, carrying out operation, warm-up, tip/specimen change, etc.) .....	10
6.3	External influences .....	11
6.4	Summary .....	11
7	Calibration of scan axes .....	12
7.1	General .....	12
7.2	Measurement standards .....	12
7.3	Xy-scanner guidance deviations of the x- and y-axes (xtz, ytz) .....	13
7.4	Calibration of x- and y-axis (Cx, Cy) and of rectangularity (xy) and determination of deviations (xtx, yty, ywx) .....	17
7.5	Calibration of the z-axis Cz, xz, and yz, and determination of the deviations ztz, zwx, and zwy .....	25
7.6	3D measurement standards for alternative and extended calibration .....	32
8	Report of calibration results .....	37
9	Uncertainties of measurement .....	38
9.1	General .....	38
9.2	Vertical measurand (height and depth) .....	38
10	Report of results (form) .....	40
Annex A (informative)	Example of superposition of disturbing influences in the topography image .....	41
Annex B (informative)	Sound investigations: Effect of a soundproofing hood .....	43
Annex C (informative)	Thermal isolation effect of a soundproofing hood/measuring cabin .....	45
Annex D (informative)	Handling of contaminations in recorded topography images .....	47

<b>Annex E (informative) Step height determination: comparison between histogram and ISO 5436-1 method .....</b>	<b>48</b>
<b>Annex F (normative) Uncertainty of measurement for lateral measurands (pitch, position, diameter) .....</b>	<b>50</b>
<b>Bibliography .....</b>	<b>56</b>