

# ISO 19635:2016-03 (E)

## Fine ceramics (advanced ceramics, advanced technical ceramics) - Test method for antialgal activity of semiconducting photocatalytic materials

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Algae used in the test .....</b>	<b>2</b>
<b>5</b>	<b>Preparation for the test .....</b>	<b>2</b>
5.1	Conditions for handling of algae .....	2
5.2	Chemicals, materials, and apparatus .....	2
5.3	Sterilization and filtration methods .....	3
5.3.1	Hot-air sterilization .....	3
5.3.2	Hot-steam sterilization .....	3
5.3.3	Flaming .....	4
5.3.4	Sterilization with alcohol .....	4
5.3.5	Sterilization through filtration .....	4
5.4	Culture media .....	4
5.4.1	General .....	4
5.4.2	C culture medium .....	5
5.4.3	Slant medium .....	5
5.4.4	Washing solution .....	5
<b>6</b>	<b>Cultivation of algae .....</b>	<b>5</b>
6.1	Transplantation and cultivation of algae .....	5
6.2	Preparation of test solution .....	6
<b>7</b>	<b>Photoirradiation method .....</b>	<b>6</b>
7.1	Measurement of UV light intensity and preparation of the test piece installation location 6 7.2 Photoirradiation conditions .....	6
<b>8</b>	<b>Test .....</b>	<b>7</b>
8.1	Preparation of test piece .....	7
8.2	Cleaning and installation of test pieces .....	7
8.2.1	Cleaning of test pieces .....	7
8.2.2	Installation of test pieces .....	7
8.3	Inoculation of test solution .....	8
8.4	Washing of test solution immediately after inoculation of test solution .....	9
8.5	Washing of test solution after test .....	9
8.6	Measurement according to the three-point absorbance method .....	9
8.7	Storage in the dark of test piece on which the test solution has been inoculated .....	10
<b>9</b>	<b>Test results .....</b>	<b>10</b>
9.1	General .....	10
9.2	Calculation of antialgal activity on the basis of absorption spectrum method for photocatalytic antialgal materials .....	11

<b>10</b>	<b>Recording of test results .....</b>	<b>11</b>
<b>Bibliography .....</b>		<b>12</b>