ISO 6509-2:2017-03 (E)

Corrosion of metals and alloys - Determination of dezincification resistance of copper alloys with zinc - Part 2: Assessment criteria

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Terms,definitions,symbolsandabbreviatedterms 1
3.1 Terms and definitions 1
3.2 Symbols and abbreviated terms 2

4 Typesofgauges 3
4.1 Gauges and setting plugs for external threaded products 3
4.2 Gauges for internal threaded products 3

5 Reference temperature 3

6 Function, design and use of gauges 4
6.1 Gauges for external threads 4
6.1.1 Virtual pitch diameter indicating thread gauges 4
6.1.2 Solid or adjustable GO screw ring gauges 4
6.1.3 Simple pitch diameter indicating thread gauges 4
6.1.4 Major diameter gauges 5
6.1.5 Minor diameter gauges 5
6.1.6 Optical comparator checks 5
6.2 Gauging for internal threads 5
6.2.1 GO screw plug gauges 5
6.2.2 NOT GO screw plug gauges 5
6.2.3 Minor diameter gauges 5
6.2.4 Virtual pitch diameter indicating thread gauges 5
6.2.5 Simple pitch diameter indicating thread gauges 6

7 Setting of gauges 6
7.1 Setting gauges for external threads 6
7.2 Setting ring gauge for indication thread gauges 6

8 Gauging of threads 6
8.1 General 6
8.2 Internal threads evaluation 7

Bibliography 22