ISO 20932-2:2018 (E)

Textiles — Determination of the elasticity of fabrics — Part 2: Multiaxial tests

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Principle

5 Sampling

6 Atmosphere for conditioning and testing

7 Preparation of test specimens

8 Method A — Dynamic test

- 8.1 Apparatus
- 8.2 Test specimen preparation
- 8.3 Procedure for loading test specimen in clamping ring
- 8.4 Recording
- 8.5 Expressions and calculations of test results
- 8.6 Test report

9 Method B — Static test

- 9.1 Preliminary test
- 9.1.1 Apparatus
- 9.1.2 Preparation of test specimens
- 9.1.3 Procedure
- 9.2 Actual static test
- 9.2.1 Apparatus
- 9.2.2 Selection of testing parameters
- 9.2.3 Preparation of test specimens
- 9.2.4 Procedure
- 9.2.5 Setting of the hemispherical shape
- 9.2.6 Measurement of the residual deformation
- 9.2.7 Recording
- 9.2.8 Expressions and calculations of test results
- 9.2.9 Test report

Annex A (informative) Example of a typical cycling graph

Annex B (informative) Procedure for sampling

- B.1 Bulk sample (number of pieces from a shipment or lot)
- B.2 Number of laboratory samples

Annex C (informative) Example of a pattern for cutting test specimens from a laboratory sample

Annex D (informative) Method A — Dynamic test equipment

Annex E (informative) Method B — Static test equipment

Page count: 17