ISO 18254-2:2018-12 (E)

Textiles - Method for the detection and determination of alkylphenol ethoxylates (APEO) - Part 2: Method using NPLC

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Principle 1

5 Reagents 1

6 Apparatus 2

7 Procedure 3
7.1 Standard preparation 3
7.2 Mobile phase for HPLC 3
7.2.1 Methanol with 0,1 % formic acid and 0,01 % ammonium formate 3
7.2.2 Acetonitrile with 0,1 % formic acid 3
7.3 Sample preparation 3
7.4 Sample extraction 3
7.5 Sample analysis 4

8 Calculation and calibration 4
8.1 Calculation of contribution percentage of each APEO congener in standard solution 4
8.2 Calculation of concentration of each APEO congener in standard solution 4
8.3 Calculation of concentration of each APEO congener in sample 4
8.4 Calculation of total concentration of all APEO congener in sample 5
8.5 Calibration curve 5

9 Test report 5

Annex A (informative) Examples of chromatographic condition 6

Annex B (informative) Examples of solid phase extraction (SPE) procedure for clean up 14

Annex C (informative) Results of the interlaboratory test 15

Annex D (informative) Study of the contribution percentage (mole fraction) of APEO congeners 16

Bibliography 18