

DIN EN ISO 22744-1:2020-09 (E)

Textiles and textile products - Determination of organotin compounds - Part 1: Derivatisation method using gas chromatography (ISO 22744-1:2020)

| Contents | Page |
|---|-------------|
| European foreword | 3 |
| Foreword | 4 |
| 1 Scope | 5 |
| 2 Normative references | 5 |
| 3 Terms and definitions | 5 |
| 4 Principle | 5 |
| 5 Reagents | 6 |
| 6 Apparatus and materials | 7 |
| 7 Preparation of the test piece | 7 |
| 8 Procedure | 8 |
| 8.1 General | 8 |
| 8.2 Preparation of the sodium tetraethylborate solution | 8 |
| 8.3 Preparation of standard solutions | 8 |
| 8.3.1 General | 8 |
| 8.3.2 Internal standards — Stock solution (100 mg/l of organotin cation) | 9 |
| 8.3.3 Internal standards — Working solution (10 mg/l of organotin cation) | 9 |
| 8.3.4 Target compounds — Stock solution (1 000 mg/l of organotin cation) | 10 |
| 8.3.5 Target compounds — Working solution (10 mg/l of organotin cation) | 10 |
| 8.4 Preparation of the tropolone solution | 10 |
| 8.5 Preparation of the buffer solution | 10 |
| 8.6 Preparation of the calibration solutions | 10 |
| 8.7 Sample preparation | 11 |
| 8.8 Preparation of the blank solution | 11 |
| 8.9 Gas chromatography | 11 |
| 9 Expression of results | 12 |
| 10 Test report | 14 |
| Annex A (informative) Suggested gas chromatography-mass spectrometry (GC-MS) conditions for organotin analysis | 15 |
| Annex B (informative) Reliability of the method | 16 |
| Bibliography | 17 |