

ISO 17257:2020-01 (E)

Rubber - Identification of polymers - Pyrolytic gas-chromatographic method using mass-spectrometric detection

| Contents | | Page |
|-----------------|---|-------------|
| | Foreword | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | List of rubbers | 1 |
| 4.1 | Group M | 1 |
| 4.1.1 | Chloropolyethylene (CM) | 1 |
| 4.1.2 | Chlorosulfonylpolyethylene (CSM) | 1 |
| 4.1.3 | Ethylene-propylene copolymer (EPM) and Ethylene-propylene-diene terpolymer (EPDM) | 1 |
| 4.1.4 | Fluorocarbon rubber having substituent fluoro, perfluoroalkyl, or perfluoroalkoxy groups on the polymer chain (FKM) | 2 |
| 4.2 | Group O | 2 |
| 4.2.1 | Homopolymer of epichlorhydrin (CO), copolymer of epichlorhydrin-ethylene oxide (ECO), terpolymer of epichlorhydrin-ethylene oxide-allyl glycidyl ether (GECO) | 2 |
| 4.3 | Group Q | 2 |
| 4.3.1 | Polysiloxanes (MQ, VMQ, PVMQ) | 2 |
| 4.4 | Group R | 2 |
| 4.4.1 | Butadiene rubber (BR) | 2 |
| 4.4.2 | Chloroprene rubber (CR) | 2 |
| 4.4.3 | Isobutene-isoprene rubber (IIR), chlorinated IIR (CIIR) and brominated IIR (BIIR) | 2 |
| 4.4.4 | Natural rubber (NR) and synthetic isoprene rubber (IR) | 2 |
| 4.4.5 | Acrylonitrile-butadiene rubber (NBR), hydrogenated NBR (HNBR) and carboxylated NBR (XNBR) | 2 |
| 4.4.6 | Styrene-butadiene rubber (SBR) | 2 |
| 4.5 | Rubber blends | 2 |
| 5 | Principle | 2 |
| 6 | Reagents | 3 |
| 7 | Equipment | 3 |
| 8 | Operating conditions | 4 |
| 8.1 | General | 4 |
| 8.2 | Gas chromatograph adjustment | 4 |
| 8.3 | Extraction | 4 |
| 8.4 | Test portion | 4 |
| 8.5 | Pyrolysis | 4 |
| 9 | Interpretation of results | 4 |
| 9.1 | General | 4 |
| 9.2 | Group M | 5 |
| 9.2.1 | Chloropolyethylene (CM) and chlorosulfonylpolyethylene (CSM) | 5 |
| 9.2.2 | Ethylene-propylene copolymer (EPM) and Ethylene-propylene-diene terpolymer (EPDM) | 5 |
| 9.2.3 | Fluorocarbon rubber having substituent fluoro, perfluoroalkyl, or perfluoroalkoxy groups on the polymer chain (FKM) | 5 |
| 9.3 | Group O | 5 |

| | | |
|-----------|--|-----------|
| 9.3.1 | Homopolymer of epichlorhydrin (CO), copolymer of epichlorhydrin-ethylene oxide (ECO), terpolymer of epichlorhydrin-ethylene oxide-allyl glycidyl ether (GECO)..... | 5 |
| 9.4 | Group Q..... | 5 |
| 9.4.1 | Polysiloxanes (MQ, VMQ, PVMQ)..... | 5 |
| 9.5 | Group R..... | 5 |
| 9.5.1 | Butadiene rubber (BR)..... | 5 |
| 9.5.2 | Chloroprene rubber (CR)..... | 6 |
| 9.5.3 | Isobutene-isoprene rubber (IIR), chlorinated IIR (CIIR) and brominated IIR (BIIR)..... | 6 |
| 9.5.4 | Natural rubber (NR) or synthetic isoprene rubber (IR)..... | 6 |
| 9.5.5 | Acrylonitrile-butadiene rubber (NBR), hydrogenated NBR (HNBR) and carboxylated NBR (XNBR)..... | 6 |
| 9.5.6 | Styrene-butadiene rubber (SBR)..... | 6 |
| 10 | Test report | 6 |
| | Annex A (informative) Schematic diagram of the chromatographic equipment | 8 |
| | Annex B (informative) Examples of operating conditions | 9 |
| | Annex C (informative) Chromatogram examples | 10 |
| | Annex D (informative) Chemical compounds identified in rubber pyrolysates | 12 |