

ISO 3452-2:2021 (E)

Non-destructive testing — Penetrant testing — Part 2: Testing of penetrant materials

Contents

| | |
|-----------|------------------------------------------------|
| | Foreword |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Classification |
| 4.1 | Testing products |
| 4.2 | Sensitivity levels |
| 4.2.1 | General |
| 4.2.2 | Penetrant baseline sensitivity |
| 4.2.3 | Product family sensitivity |
| 4.2.4 | Fluorescent systems |
| 4.2.5 | Colour contrast systems |
| 4.2.6 | Dual-purpose product family |
| 5 | Testing of penetrant materials |
| 5.1 | Personnel |
| 5.2 | Testing facilities |
| 5.2.1 | Type testing |
| 5.2.2 | Batch testing |
| 5.2.3 | Process and control testing |
| 5.3 | Reporting |
| 5.3.1 | Type testing |
| 5.3.2 | Batch testing |
| 5.4 | Tests |
| 5.4.1 | Sensitivity test |
| 5.4.2 | Penetrants |
| 5.4.3 | Excess penetrant removers (excluding method A) |
| 5.4.4 | Developers |
| 5.4.5 | Batch tests for spray cans |
| 6 | Test methods and requirements |
| 6.1 | Appearance |
| 6.2 | Penetrant system sensitivity |
| 6.2.1 | Fluorescent penetrants (type I) |
| 6.2.1.1 | Qualification provisions |
| 6.2.1.1.1 | Penetrants (type I) |
| 6.2.1.1.2 | Developers |
| 6.2.1.1.3 | Solvent removers |
| 6.2.1.2 | Sensitivity |
| 6.2.1.2.1 | General |
| 6.2.1.2.2 | Test panels |
| 6.2.1.2.3 | Test procedures |
| 6.2.1.2.4 | Equipment |
| 6.2.1.2.5 | Interpretation of results |
| 6.2.2 | Colour contrast penetrants (type II) |
| 6.2.2.1 | Qualification provisions |
| 6.2.2.2 | Test panels |
| 6.2.2.3 | Method of testing |
| 6.2.2.4 | Interpretation of results |

| | |
|------------|-------------------------------------------------------------------------------------|
| 6.2.2.5 | Requirements |
| 6.3 | Density |
| 6.3.1 | Test method |
| 6.3.2 | Requirements |
| 6.4 | Viscosity |
| 6.4.1 | Test method |
| 6.4.2 | Requirements |
| 6.5 | Flashpoint |
| 6.5.1 | Test method |
| 6.5.2 | Requirements |
| 6.6 | Washability (method A penetrants) |
| 6.7 | Fluorescent brightness |
| 6.7.1 | Test method |
| 6.7.2 | Requirements |
| 6.8 | UV stability |
| 6.8.1 | Test method |
| 6.8.2 | Requirements |
| 6.9 | Thermal stability of fluorescent brightness |
| 6.9.1 | Test method |
| 6.9.2 | Requirements |
| 6.10 | Water tolerance |
| 6.10.1 | Test method |
| 6.10.2 | Requirements |
| 6.11 | Corrosive properties |
| 6.11.1 | General |
| 6.11.2 | Type testing |
| 6.11.2.1 | Moderate temperature corrosion |
| 6.11.2.1.1 | Test procedure |
| 6.11.2.1.2 | Requirements |
| 6.11.2.2 | Compatibility with other materials |
| 6.11.2.2.1 | Test procedure |
| 6.11.2.2.2 | Requirements |
| 6.11.2.3 | High temperature titanium stress corrosion |
| 6.11.2.3.1 | Test panels |
| 6.11.2.3.2 | Specimen preparation |
| 6.11.2.3.3 | Test procedure |
| 6.11.2.3.4 | Interpretation |
| 6.11.2.4 | High-temperature corrosion of cast nickel alloys |
| 6.11.2.4.1 | Specimen preparation |
| 6.11.2.4.2 | Test procedure |
| 6.11.2.4.3 | Interpretation |
| 6.11.3 | Batch testing |
| 6.11.3.1 | Compatibility with metals |
| 6.11.3.1.1 | General |
| 6.11.3.1.2 | Requirements |
| 6.11.3.2 | Compatibility with other materials |
| 6.11.3.2.1 | General |
| 6.11.3.2.2 | Requirements |
| 6.12 | Content of sulfur and halogens (for products designated low in sulfur and halogens) |
| 6.12.1 | Test method |
| 6.12.2 | Requirements |
| 6.13 | Residue on evaporation/solid content |
| 6.13.1 | Solvent removers |
| 6.13.1.1 | Test procedure |
| 6.13.1.2 | Requirements |
| 6.13.2 | Form d and e developers |
| 6.13.2.1 | Test procedure |
| 6.13.2.2 | Requirements |
| 6.14 | Penetrant tolerance |
| 6.14.1 | Lipophilic emulsifier (method B) |
| 6.14.2 | Hydrophilic emulsifier (method D) |
| 6.15 | Developer performance |
| 6.16 | Re-dispersability |
| 6.16.1 | Water-suspendable developers |

- 6.16.2 Solvent based developers (non-aqueous)
- 6.17 Density of carrier liquid
- 6.17.1 Test method
- 6.17.2 Requirements
- 6.18 Product performance (pressurized containers)
- 6.19 Particle size distribution
- 6.20 Water content
- 6.20.1 Test method
- 6.20.2 Requirements

7 Packaging and labelling

Annex A (normative) Comparison of fluorescent brightness

- A.1 Apparatus
- A.2 Preparation of filter paper specimens
- A.3 Measurement of fluorescent brightness
- A.4 Calculation

Annex B (normative) Equipment for determination of the visibility of fluorescent indications

- B.1 General configuration
- B.2 Image processing
- B.3 Evaluation

Annex C (informative) List of reference materials

Page count: 24