DIN 25449:2022-07 (E)

Reinforced and prestressed concrete components in nuclear facilities - Safety concept, actions, design and construction

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions, and symbols 7
3.1 Terms and definitions 7
3.2 Symbols 8

4 Materials 11
4.1 Concrete 11
4.1.1 General 11
4.1.2 Temperature dependence of characteristic values 11
4.1.3 Bound water content 11
4.1.4 Heat capacity 13
4.2 Reinforcing steel 13
4.3 Prestressing steel 13

5 Actions 13
5.1 General 13
5.2 Permanent actions 14
5.3 Variable actions 14
5.4 Accidental actions 14
5.4.1 General 14
5.4.2 Internal actions 15
5.4.3 External actions 17

6 Safety concept 19
6.1 General 19
6.2 Combination rules 19
6.3 Partial safety factors and combination factors for actions 21
6.4 Ultimate limit states 22
6.5 Serviceability limit states 24

7 Procedures for structural analysis and verification 24
7.1 General 24
7.2 Linear-elastic analysis 25
7.3 Non-linear analysis 25
7.4 Behaviour of structural elements subjected to dynamic actions 26
7.4.1 General 26
7.4.2 Structural element stiffness 26
7.4.3 Masses 26
7.4.4 Damping of structural elements 27
7.4.5 Soil and foundation 27
7.4.6 Simplified methods for individual structural elements 28

8 Design recommendations 29
8.1 Design strength of reinforced concrete 29
8.2 Ultimate limit strain of reinforcing steel and concrete 30
8.3 Shear forces 30
8.4 Punching shear 31

8.4.1 General ... **31**
8.4.2 Structural elements without punching shear reinforcement ... **31**
8.4.3 Structural elements with punching shear reinforcement ... **33**
8.4.4 Structural members for wreckage loads ... **35**
8.4.5 Structural detailing ... **35**

Annex A (informative) **Plant conditions and actions** ... **36**

Annex B (informative) **Load assumptions due to blast waves from explosions for buildings as a whole and for slender structural elements** ... **38**
B.1 General ... **38**
B.2 Rectangular buildings ... **39**
B.2.1 Directly loaded individual structural elements ... **39**
B.2.2 Overall structure, bracing structural elements, foundation ... **39**
B.3 Cylindrical and spherical buildings ... **39**
B.4 Slender structural elements ... **41**

Annex C (normative) **Modified partial safety factors for nuclear power plants in decommissioning** ... **42**
C.1 General ... **42**
C.2 Modified partial safety factors ... **42**
C.2.1 Partial safety factors without consideration of conditions specific to the facility and structure ... **42**
C.2.2 Determination of partial safety factors with consideration of conditions specific to the facility and structure ... **43**

Annex D (informative) **Approaches for considering site-specific conditions for the determination of modified partial safety factors for nuclear power plants in decommissioning** ... **44**
D.1 General ... **44**
D.2 Determination of partial safety factors via the reliability level ... **44**
D.3 Direct determination of partial safety factors ... **45**
D.3.1 Consideration of realistic scatter of the basic variables ... **45**
D.3.2 Consideration of material samples ... **45**
D.3.3 Possibilities for the precise determination of variable actions ... **46**

Bibliography ... **48**

Figures

Figure 1 — Bound water content at low water vapour partial pressure (0,8 kPa) and at temperatures kept constant at progressive steps ... **12**

Figure 2 — Idealized differential pressure Δp as a function of time ... **15**

Figure 3 — Idealized jet impingement force F_S as a function of time ... **16**

Figure 4 — Idealized form of an elastic ground response or floor response spectrum ... **17**

Figure 5 — Load/time function for an aircraft crash according to the BMU-*Sicherheitsanforderungen* (Safety requirements issued by the German Federal Ministry for the Environment) ... **18**

Figure 6 — Load/time function of pressure waves caused by chemical reactions, as defined in the *BMI-Richtlinie*: 1976-09 (Guideline issued by the Federal Ministry of the Interior) ... **19**

Figure 7 — Dynamic load factor for an explosion pressure wave ... **29**

Figure B.1 — Idealized overpressure, p, as a function of time, of blast pressure waves acting on buildings ... **38**

Figure B.2 — Pressure/time function of resulting overpressure Δp for rectangular buildings 39

Figure B.3 — Overpressure $\overline{p}$ on cylindrical and spherical buildings, as a function of time 40

Figure B.4 — Overpressure distribution on the perimeter of cylindrical and spherical buildings 40

Tables

Table 1 — Symbols 8

Table 2 — Reference values for the bound water content of dry (i.e. dried) hardened cement paste 12

Table 3 — Reference values for partial safety factors and combination factors 21

Table 4 — Partial safety factors and material properties for reinforced concrete and prestressed concrete members for determining the resistance in the ultimate limit state 23

Table 5 — Assignment of the various requirement categories 24

Table 6 — Values for the damping ratio D as a percentage of critical damping for the design of structures and parts of structures 27

Table 7 — Maximum dynamic load factors 28

Table A.1 — Plant conditions and events given by way of example and the resultant possible consequences for the containment vessel 36

Table A.2 — Examples of internal and external events and the possible consequences of such events 37

Table B.1 — Pressure ordinates as a function of impact angle ϑ ($\overline{p}$ as in Figure B.3) 40

Table B.2 — Dynamic pressure q as a function of p_2 41

Table C.1 — Partial safety factors without consideration of conditions specific to the facility and structure 43