

ISO 7278-2:2022-11 (E)

Petroleum measurement systems - Part 2: Pipe prover design, calibration and operation

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms, definitions, symbols and units	1
3.1	Terms and definitions	1
3.2	Symbols and units	8
4	Design classification of pipe provers	9
4.1	Common features	9
4.2	Sphere provers	11
4.2.1	General	11
4.2.2	Unidirectional sphere provers	11
4.2.3	Bidirectional sphere provers	13
4.3	Piston provers	15
4.3.1	General	15
4.3.2	Unidirectional piston provers	16
4.3.3	Bidirectional piston provers	16
5	Operational classification of provers	16
5.1	General	16
5.2	Conventional prover	17
5.3	Reduced volume prover	18
5.4	Small volume prover	18
6	Design	20
6.1	General considerations	20
6.2	Prover barrel	21
6.2.1	End chambers (launch and receive chambers)	21
6.2.2	Run-in length	22
6.2.3	Prover pipe or barrel	22
6.2.4	Internal finish	22
6.3	Proprietary small volume piston provers	23
6.4	Sizing of provers	24
6.4.1	General	24
6.4.2	Calibrated volume	25
6.4.3	Length between detectors	25
6.4.4	Diameter and Velocity	26
6.4.5	Pressure loss	26
6.5	Displacers	27
6.5.1	General	27
6.5.2	Spheres	27
6.5.3	Pistons	28
6.6	Displacer Velocity	28
6.6.1	General	28
6.6.2	Minimum velocity	28
6.6.3	Maximum velocity	29

6.7	Detectors	29
6.8	Prover valves	30
6.9	Additional design considerations	31
7	Ancillary equipment	32
7.1	Overview of temperature and pressure measurement	32
7.2	Temperature measurement	32
7.3	Pressure measurement	33
7.4	Calibration connections	33
7.5	System control	34
8	Pulse interpolation	34
9	Installation	34
9.1	Mechanical installation	34
9.1.1	General	34
9.1.2	Fixed provers	37
9.1.3	Mobile provers	37
9.2	Electrical installation	38
9.3	Other installation recommendations	38
10	Traceability	38
11	Calibration	40
11.1	General	40
11.2	Calibration circuits and equipment	40
11.3	Water draw calibration method	42
11.3.1	Description	42
11.3.2	Volumetric measure as reference	43
11.3.3	Gravimetric as reference	45
11.4	Master meter calibration method	47
11.5	Sequential master meter method	50
11.6	Concurrent master meter method	51
11.7	Calibration procedures	51
12	Operation to prove a flowmeter	52
12.1	Setting up a prover	52
12.2	Mobile prover prior to arrival on site	52
12.3	Mobile prover on arrival on site	52
12.4	Stabilizing temperature	53
12.5	Periodical checks of factors affecting accuracy	53
12.6	Meter proving operation	53
12.7	Preliminary assessment of the results	54
12.8	Fault finding	55
13	Safety	55
13.1	General	55
13.2	Permits	56
13.3	Opening end chambers and removing a displacer	56
13.4	Special precautions when proving with LPG	56
13.5	Fire precautions	57
13.6	Miscellaneous safety precautions	57
13.7	Safety records	57
	Annex A (informative) Calculations	59
	Annex B (informative) Selecting a prover volume for a flowmeter	70
	Annex C (informative) Acceptance criteria and performance specification	72
	Annex D (informative) Troubleshooting	83

Annex E (informative) Sphere or detector replacement and twin pairs of detectors	89
Annex F (informative) Pulse interpolation	91
Annex G (informative) Alternative designs	95
Annex H (informative) Calibration procedures	97
Annex I (informative) Example of prover calibration certificate	102
Bibliography	107