

DIN 51111:2024-02 (E)

Electrical properties of fresh and used oils from electric drives in vehicles - Measurement of the specific electrical conductivity, the relative permittivity (ϵ_r) and the dielectric dissipation factor ($\tan \delta$)

Contents		Page
Foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Principle	7
5	Apparatus	7
5.1	Test equipment	7
5.2	Temperature control unit	7
5.3	Test cell	8
5.4	Auxiliary equipment	8
6	Reagents	8
7	Sampling	9
8	Procedure	9
8.1	General	9
8.2	Test cell	9
8.2.1	General	9
8.2.2	Cleaning the test cell	9
8.2.3	Storage of the test cell	10
8.3	Sample preparation	10
8.4	Conditioning and filling the test cell	10
8.4.1	Conditioning the test cell	10
8.4.2	Checking the test cell	10
8.4.3	Filling the test cell	10
8.5	Test temperature	11
8.6	Measurement	11
8.6.1	General	11
8.6.2	Determining the specific electrical conductivity	11
8.6.3	Determining the specific electrical resistivity	12
8.6.4	Determining the relative permittivity	12
8.6.5	Determining the dielectric dissipation factor ($\tan \delta$)	12
8.7	Sources of error	13
9	Expression of results	13
10	Precision	13
10.1	General	13
10.2	Repeatability	13
10.3	Reproducibility	14

11	Test report	14
	Annex A (informative) Measuring principle	15
A.1	Specific electrical resistivity	15
A.2	Relative permittivity (ϵ_r)	16
A.3	Dielectric dissipation factor ($\tan \delta$)	17
	Bibliography	18
	Tables Table 1 -- Target values for checking the apparatus filled with n-decane	10
	Table 2 -- Repeatability and reproducibility	14