DIN 51111:2024-02 (E)

Electrical properties of fresh and used oils from electric drives in vehicles - Measurement of the specific electrical conductivity, the relative permittivity (ε_r) and the dielectric dissipation factor ($\tan \delta$)

Contents

Page

Foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Principle 7

5 Apparatus 7
5.1 Test equipment 7
5.2 Temperature control unit 7
5.3 Test cell 8
5.4 Auxiliary equipment 8

6 Reagents 8

7 Sampling 9

8 Procedure 9
8.1 General 9
8.2 Test cell 9
8.2.1 General 9
8.2.2 Cleaning the test cell 9
8.2.3 Storage of the test cell 10
8.3 Sample preparation 10
8.4 Conditioning and filling the test cell 10
8.4.1 Conditioning the test cell 10
8.4.2 Checking the test cell 10
8.4.3 Filling the test cell 10
8.5 Test temperature 11
8.6 Measurement 11
8.6.1 General 11
8.6.2 Determining the specific electrical conductivity 11
8.6.3 Determining the specific electrical resistivity 12
8.6.4 Determining the relative permittivity 12
8.6.5 Determining the dielectric dissipation factor (tan) 12
8.7 Sources of error 13

9 Expression of results 13

10 Precision 13
10.1 General 13
10.2 Repeatability 13
10.3 Reproducibility 14

11 Test report 14

Annex A (informative) Measuring principle 15

A.1 Specific electrical resistivity 15
A.2 Relative permittivity (r) 16
A.3 Dielectric dissipation factor (tan) 17

Bibliography 18

Tables Table 1 -- Target values for checking the apparatus filled with n-decane 10

Table 2 -- Repeatability and reproducibility 14