DIN 51852-3:2024-05 (E)

Coolants for internal combustion engines - Test methods - Part 3: Direct determination of element contents from additives and impurities by optical emission spectral analysis with inductively coupled plasma (ICP OES)

Contents

Page

Foreword ... 4

1 Scope ... 5

2 Normative references ... 6

3 Terms and definitions ... 6

4 Principle ... 6

5 Apparatus ... 6
5.1 Optical emission spectrometer with inductively coupled plasma (ICP OES) ... 6
5.2 Laboratory apparatus ... 8

6 Reagents ... 9

7 Sampling ... 10

8 Setting the reference curves ... 10
8.1 Reference solutions ... 10
8.2 Calibration solutions and calibration control solutions ... 12
8.3 Setting the calibration lines ... 12
8.4 Verification of the calibration ... 13

9 ICP OES spectrometer settings ... 13

10 Sample preparation ... 13
10.1 General ... 13
10.2 Sample measurement ... 14

11 Procedure ... 14

12 Evaluation ... 14

13 Expression of results ... 15

14 Precision ... 15
14.1 General ... 15
14.2 Repeatability, *r* ... 15
14.3 Reproducibility, *R* ... 15

15 Test report ... 16

Bibliography ... 17

Tables

Table 1 — Concentration ranges ... 5

Table 2 — Overview of recommended analysis lines and potential interferences — wear/contamination ... 7

Table 3 — Recommended wavelengths for the measurement of the element as an internal standard ... 8

Table 4 — Possible elements in a multi-element standard stock solution 9

Table 5 — Example for preparing the reference solutions 10

Table 6 — Analyte concentrations in the reference solutions 11

Table 7 — Repeatability and reproducibility— Analyte 16