DIN EN ISO 7539-6:2024-09 (E)

Corrosion of metals and alloys - Stress corrosion testing - Part 6: Preparation and use of precracked specimens for tests under constant load or constant displacement (ISO 7539-6:2018, Corrected version 2018-11 + Amd 1:2024) (includes Amendment A1:2024)

Contents

Page

European foreword ... 3

▌A1⟩ European foreword to Amendment 1 ⟨A1▌ ... 4

Foreword ... 5

▌A1⟩ Foreword to Amendment 1 ⟨A1▌ ... 6

1 Scope ... 7

2 Normative references ... 7

3 Terms and definitions ... 7

4 Principle ... 10

5 Specimens ... 10
5.1 General ... 10
5.2 Specimen design ... 12
5.3 Stress intensity factor considerations ... 23
5.4 Specimen preparation ... 29
5.5 Specimen identification ... 31

6 Initiation and propagation of fatigue cracks ... 31

7 Procedure ... 33
7.1 General ... 33
7.2 Environmental considerations ... 33
7.3 Environmental chamber ... 33
7.4 Environmental control and monitoring ... 34
7.5 Determination of K_{ISCC} by crack arrest ... 35
7.6 Determination of K_{ISCC} by crack initiation ... 38
7.7 Measurement of crack velocity ... 40

8 Test report ... 40

Annex A (informative) Use of notched specimens for stress corrosion tests ... 42
A.1 General ... 42
A.2 Symbols ... 42
A.3 Principle ... 42
A.4 Specimens ... 43
A.4.1 General ... 43
A.4.2 Specimen design ... 43
A.4.3 Stress considerations ... 43
A.4.4 Specimen preparation ... 44
A.5 Procedure ... 44
A.6 Test report ... 44

Annex B (informative) Determination of crack growth velocity ... 45

Bibliography ... 46