

# DIN EN ISO 16826:2025-06 (E)

## Non-destructive testing - Ultrasonic testing - Testing for discontinuities perpendicular to the surface (ISO 16826:2025)

---

<b>Contents</b>		<b>Page</b>
Foreword.....		iv
Introduction.....		v
<b>1</b>	<b>Scope.....</b>	<b>1</b>
<b>2</b>	<b>Normative references.....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions.....</b>	<b>1</b>
<b>4</b>	<b>Test equipment and test personnel.....</b>	<b>1</b>
<b>5</b>	<b>Tandem technique.....</b>	<b>2</b>
	5.1 General.....	2
	5.2 Probe movement.....	3
	5.3 Time base setting.....	3
	5.4 Sensitivity setting.....	3
	5.5 Determination of test zones.....	4
	5.6 Depth-gain diagram for tandem technique.....	5
	5.7 Corrections of sensitivity.....	6
	5.8 Test objects with concentric surfaces.....	6
	5.8.1 General.....	6
	5.8.2 Scanning on a concave surface.....	7
	5.8.3 Scanning on a convex surface.....	7
<b>6</b>	<b>Longitudinal-longitudinal-transverse wave technique.....</b>	<b>8</b>
	6.1 General.....	8
	6.2 Time base setting and determination of depth of a discontinuity.....	9
	6.3 Sensitivity setting.....	10
	6.4 Determination of the depth of the intersection of the beam axes.....	10
	6.5 Sensitivity diagram for LLT technique.....	11
	6.6 Correction of sensitivity.....	11
	<b>Annex A (informative) Nomograms for tandem distances for convex and concave surfaces.....</b>	<b>12</b>
	<b>Bibliography.....</b>	<b>15</b>