

# DIN EN ISO 16795:2025-11 (E)

Nuclear energy - Determination of Gd<sub>2</sub>O<sub>3</sub> content in pellets containing uranium oxide by X-ray fluorescence spectrometry (ISO 16795:2024);  
English version EN ISO 16795:2025

---

<b>Contents</b>		<b>Page</b>
Foreword		iv
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions</b>	<b>1</b>
<b>4</b>	<b>Principle</b>	<b>1</b>
<b>5</b>	<b>Apparatus</b>	<b>1</b>
<b>6</b>	<b>Reagents</b>	<b>2</b>
<b>7</b>	<b>Preparation of standards</b>	<b>2</b>
<b>8</b>	<b>Polishing</b>	<b>3</b>
<b>9</b>	<b>Equipment calibration</b>	<b>3</b>
	9.1 Angle calibration	3
	9.2 Pulse-height distribution	3
	9.3 Background correction	3
	9.4 Stability (sensitivity) check	3
<b>10</b>	<b>Calibration curve</b>	<b>4</b>
<b>11</b>	<b>Measurements</b>	<b>4</b>
<b>12</b>	<b>Precision and accuracy</b>	<b>4</b>
<b>13</b>	<b>Test report</b>	<b>4</b>
<b>Annex A (informative) Angle calibration and background correction</b>		<b>6</b>
<b>Annex B (informative) Precision and accuracy</b>		<b>7</b>
<b>Bibliography</b>		<b>8</b>