

# DIN EN ISO 16795:2025-11 (E)

Nuclear energy - Determination of Gd<sub>2</sub>O<sub>3</sub> content in pellets containing uranium oxide by X-ray fluorescence spectrometry (ISO 16795:2024);  
English version EN ISO 16795:2025

---

| <b>Contents</b>  |                                   | <b>Page</b> |
|--|-----------------------------------|-------------|
| Foreword   |                                   | iv          |
| <b>1</b>   | <b>Scope</b>                      | <b>1</b>    |
| <b>2</b>   | <b>Normative references</b>       | <b>1</b>    |
| <b>3</b>   | <b>Terms and definitions</b>      | <b>1</b>    |
| <b>4</b>   | <b>Principle</b>                  | <b>1</b>    |
| <b>5</b>   | <b>Apparatus</b>                  | <b>1</b>    |
| <b>6</b>   | <b>Reagents</b>                   | <b>2</b>    |
| <b>7</b>   | <b>Preparation of standards</b>   | <b>2</b>    |
| <b>8</b>   | <b>Polishing</b>                  | <b>3</b>    |
| <b>9</b>   | <b>Equipment calibration</b>      | <b>3</b>    |
|  | 9.1 Angle calibration             | 3           |
|  | 9.2 Pulse-height distribution     | 3           |
|  | 9.3 Background correction         | 3           |
|  | 9.4 Stability (sensitivity) check | 3           |
| <b>10</b>  | <b>Calibration curve</b>          | <b>4</b>    |
| <b>11</b>  | <b>Measurements</b>               | <b>4</b>    |
| <b>12</b>  | <b>Precision and accuracy</b>     | <b>4</b>    |
| <b>13</b>  | <b>Test report</b>                | <b>4</b>    |
| <b>Annex A (informative) Angle calibration and background correction</b> |                                   | <b>6</b>    |
| <b>Annex B (informative) Precision and accuracy</b>                      |                                   | <b>7</b>    |
| <b>Bibliography</b>  |                                   | <b>8</b>    |