ISO 15548-1:2026-04 (E)

Non-destructive testing - Equipment for eddy current examination - Part 1: Instrument characteristics and verification

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Eddy current instrument characteristics **2**

4.1 General characteristics 2

4.1.1 Type of instrument 2

4.1.2 Power supply 2

4.1.3 Safety 2

4.1.4 Technology 2

4.1.5 Physical presentation 2

4.1.6 Environmental effects 2

4.2 Electrical characteristics 3

4.2.1 General 3

4.2.2 Functional block diagram 3

4.2.3 Generator unit 3

4.2.4 Input stage characteristics 4

4.2.5 Balance 4

4.2.6 HF signal and demodulation 4

4.2.7 Demodulated signal processing 5

4.2.8 Signal output 6

4.2.9 Digital interface 7

4.2.10 Digitization and data resolution 7

5 Verification **8**

5.1 General 8

5.2 Levels of verification 8

5.3 Verification procedure 9

5.4 Corrective actions 9

6 Measurement of electrical characteristics of instrument **10**

6.1 Measuring requirements 10

6.2 Generator unit 10

6.2.1 Excitation frequency 10

6.2.2 Harmonic distortion 11

6.2.3 Differential source impedance 11

6.2.4 Maximum output voltage 12

6.2.5 Maximum output current 13

6.2.6 Output voltage 13

6.3 Input stage characteristics 14

6.3.1 Maximum allowable input voltage related to saturation and non-linearity 14

6.3.2 Input impedance 15

6.4 Balance 16

6.4.1 Maximum compensable input voltage 16

6.4.2 Residual output value at balance 17

6.5 Demodulation 17

6.5.1 Orthogonality of signal components 17

6.6 Demodulated signal processing 19

6.6.1 Gain accuracy and linearity 19

6.6.2 Phase-setting accuracy 20
6.6.3 Bandwidth 22
6.6.4 Cross-talk 25
6.6.5 Common-mode rejection 26
6.6.6 Maximum instruments noise 27

Annex A (informative) **Principle of frequency beat method** **29**

Annex B (informative) **Method of evaluation of linearity range between output and input** **31**

Annex C (normative) **Summary of characteristics and verification levels** **33**