

# ISO 18894:2006-04 (E)

## Coke - Determination of coke reactivity index (CRI) and coke strength after reaction (CSR)

---

|  | Contents | Page |
|--|----------|------|
| <b>Foreword</b>  |          | iv   |
| 1 <b>Scope</b>   |          | 1    |
| 2 <b>Normative references</b>  |          | 1    |
| 3 <b>Terms and definitions</b>   |          | 1    |
| 4 <b>Principle</b>   |          | 2    |
| 5 <b>Reagents</b>  |          | 3    |
| 6 <b>Apparatus</b>   |          | 3    |
| 7 <b>Preparation of test sample</b>  |          | 4    |
| 8 <b>Procedure</b>   |          | 4    |
| 9 <b>Expression of results</b>   |          | 5    |
| 10 <b>Precision</b>  |          | 6    |
| 11 <b>Test report</b>  |          | 9    |
| <b>Annex A (normative) Reactivity test apparatus "type A", single wall</b> |          | 10   |
| <b>Annex B (normative) Reactivity test apparatus "type B", double wall</b> |          | 12   |
| <b>Annex C (normative) Coke-strength-after-reaction tumbler</b>            |          | 14   |
| <b>Annex D (informative) Determination of abrasion value</b>               |          | 15   |
| <b>Annex E (informative) Reproducibility critical difference</b>           |          | 16   |