DIN EN 10247:2007-07 (E)

Micrographic examination of the non-metallic inclusion content of steels using standard pictures

Contents

Page

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Principles 7

4 Terms and definitions 8
4.1 General 8
4.2 Proximity 9
4.3 Parameters 9
4.4 Classes 10
4.5 Others 10

5 Symbols and abbreviations 11

6 Sampling 13
6.1 General 13
6.2 Minimum reduction 13
6.3 Size and location of test area 13
6.4 Number of specimens 14
6.5 Preparation of specimens 14

7 Test method 14
7.1 Magnification 14
7.2 Field of view 15
7.3 Definition of the pictures of the chart 15
7.3.1 Size and Shape 15
7.3.2 Parameters 15
7.3.3 Arrangement of the pictures 15
7.4 Procedure 15
7.4.1 General 15
7.4.2 Several inclusions of mixed sizes in one field 16
7.4.3 Scanning 16
7.4.4 Assessment and evaluation 16
7.4.5 Evaluation of different types of inclusions 17
7.4.6 Default assumptions 17
7.4.7 Recording of results 17

8 Types of assessment 17
8.1 Worst inclusion method: method P 17
8.1.1 Principle 17
8.1.2 Evaluation of PL (worst length) 17
8.1.3 Evaluation of Pd (worst diameter) 18
8.1.4 Evaluation of Pa (worst area) 18
8.2 Worst field method: method M 18
8.2.1 Principle 18
8.2.2 Evaluation of Mn (rating according to number) 18

8.2.3 Evaluation of ML (rating according to length) 18
8.2.4 Evaluation of Md (rating according to diameter) 18
8.2.5 Evaluation of Ma (rating according to area) 18
8.3 Average field method: method K 19
8.3.1 Principle 19
8.3.2 Scanning of a specimen for average field assessment 19
8.3.3 Evaluation 20
8.3.4 Evaluation of Kn, KL for elongated and Kn, Kd for globular inclusions 20
8.3.5 Evaluation of Kn and Ka 20

9 Test report 21

Annex A (normative) Type of inclusions 34

Annex B (normative) Parameters and assessments to be used if not otherwise specified 36

Annex C (informative) Examples for inclusions of different types 37

Annex D (informative) Shape factor 41

Annex E (informative) Examples for magnification 42

Annex F (informative) Details of the eyepiece graticules 44

Annex G (normative) Manufacturing of eyepiece graticule 45

G.1 General 45
G.2 Narrow field microscopes 45
G.3 Broad field microscopes 46

Annex H (normative) Calculation basis for the pictures of the chart 49

Annex K (normative) Rules for classification 51

K.1 Definition of classes 51
K.2 Classification of length 51
K.3 Classification of width 51
K.4 Classification of diameter 51
K.5 Classification of area 52

Annex L (informative) Comparison of inclusion types in different standards 53

Annex M (informative) Worst inclusion assessment 54

Annex N (informative) Worst field assessment 56

N.1 General 56
N.2 Evaluation of Mn 56
N.3 Evaluation of Mn, ML and Md 56
N.4 Evaluation of Mn and Ma 57

Annex P (informative) Average field assessment 60

P.1 General 60
P.2 Evaluation of Kn, KL and Kd 60
P.3 Evaluation of Kn and Ka 60
P.4 Restricted values 60

Annex Q (normative) Calculation basis for the assessment 69

Q.1 Worst inclusion assessment 69
Q.2 Worst field assessment 69

Q.2.1 Calculation of Mn 69
Q.2.2 Calculation of ML 69
Q.2.3 Calculation of Md 70
Q.2.4 Calculation of Ma 70
Q.3 Average field 70

Annex R (normative) Determination of precision and scanning parameters for average field assessment 72

Annex S (informative) Edge Errors correction 75

S.1 General 75
S.2 Field by field measurement 75

Annex T (normative) Calculation of average values of parameters for one class 77

Annex U (normative) Average values of parameters 79

Annex V (informative) Comments of the working group 80

V.1 General 80
V.2 Length 80
V.3 Width 80
V.4 Number 80
V.5 Resolution 80
V.6 Area 81
V.7 Description of inclusions 81
V.8 Globular particles 82
V.9 Shape factor 82
V.10 Combined inclusions 83
V.11 Measuring frame 83

Bibliography 84